

## Faktor-Faktor yang mempengaruhi perilaku pengguna kondom di kalangan pasangan tetap wanita penaja seks (gendak ): Studi Kelompok Dampingan Yayasan Perkumpulan Bandungwangi dan Perkumpulan Keluarga Berencana Indonesia (PKBI) DKI Jakarta, Kotamadya Jakarta Timur.

Luciana Barliantari, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=128318&lokasi=lokal>

---

### Abstrak

Hingga saat ini laju penularan HIV cenderung terus meningkat, demikian pula peningkatan jumlah kasus AIDS. Data epidemiologis menunjukkan bahwa penularan HIV di Indonesia sejak tahun 1995 semakin memprihatinkan. Di beberapa daerah, prevalensi HIV positif di kalangan pekerja seks meningkat sampai mendekati 5%. Tingkat epidemi ini telah mengarah pada level epidemi terkonsentrasi di kalangan populasi berisiko. Angka kumulatif kasus AIDS tertinggi per September 2007 dilaporkan dari Provinsi DKI Jakarta, Jawa Barat, Papua, dan Jawa Timur ([www.aids-ina.org](http://www.aids-ina.org)). AIDS memberikan dampak yang signifikan terhadap perubahan struktur masyarakat. Penyakit ini mempertinggi angka kematian ibu dan anak di Indonesia dan mengancam keberlangsungan hidup angkatan kerja di Indonesia karena kasus AIDS banyak ditemukan pada kalangan usia produktif. Penyakit ini juga semakin menyulitkan usaha-usaha untuk menanggulangi kemiskinan di Indonesia (UNDP, 2001). Tahun 2010 diperkirakan akan ada sekitar 110.000 orang yang menderita atau meninggal karena AIDS, serta 1 ? 5 juta orang yang mengidap virus HIV. Seriusnya ancaman HIV&AIDS membuat pencegahan penularan HIV& AIDS menjadi tujuan ke enam dari delapan tujuan penting dalam Millenium Development Goals (MDGs). AIDS adalah penyakit menular yang disebabkan oleh Human Immunodeficiency Virus (HIV). Penyakit ini ditularkan melalui beberapa cara, salah satunya adalah melalui hubungan seks tanpa kondom, yang merupakan cara penularan dominan. Penyakit ini merupakan penyakit yang berbahaya karena dapat menyebabkan kematian dan hingga saat ini belum ditemukan vaksin untuk pencegahan serta obat yang mampu menyembuhkan penyakit ini. Beberapa hasil penelitian dan survei menunjukkan bahwa tingkat pemakaian kondom di kalangan pelanggan wanita penaja seks masih rendah. Padahal, penggunaan kondom dalam seks komersil merupakan kunci penting pencegahan penularan HIV karena hubungan seks merupakan salah satu jalur utama penularan HIV (Depkes, 2005). Mengacu pada permasalahan yang ada, maka penelitian ini bertujuan untuk mengetahui faktor-faktor apa saja mempengaruhi perilaku penggunaan kondom di kalangan pasangan tetap wanita penaja seks (Gendak) pada saat melakukan hubungan seks dengan pasangan tetapnya dan/atau kelompok berisiko lainnya sebagai upaya untuk mencegah penularan IMS, HIV&AIDS. Penelitian ini dilakukan dengan mewawancarai 211 Gendak sebagai unit analisisnya, yang merupakan kelompok dampingan Yayasan Perkumpulan Bandungwangi (PBW) dan Perkumpulan Keluarga Berencana Indonesia (PKBI) DKI Jakarta, di wilayah Kotamadya Jakarta Timur. Penulis menggunakan pendekatan kuantitatif dengan analisis data primer yang diperoleh melalui survei untuk menjawab pertanyaan dasar tersebut. Data dikumpulkan dan diolah dengan menggunakan program komputer Microsoft Excel 2002 dan SPSS for Windows Release 11.00. dengan aplikasi analisis regresi metode enter dan dilanjutkan dengan analisis jalur untuk melihat besarnya koefisien pengaruh langsung dan tidak langsung atas sejumlah variabel yang diuji. Dilakukan uji asumsi, seperti uji normalitas sebaran, uji linieritas, uji heteroskedastisitas dan uji multikolinieritas, terhadap

data-data penelitian. Variabel dependen dalam penelitian ini adalah perilaku penggunaan kondom, sedangkan variabel independen terdiri dari delapan yaitu (1) faktor pengalaman pernah terkena IMS, HIV&AIDS, (2) faktor pengetahuan IMS, HIV&AIDS, (3) faktor sikap, (4) faktor pendidikan, (5) faktor pekerjaan, (6) faktor umur, (7) faktor status perkawinan, dan (8) faktor akses terhadap kondom. Terdapat tiga hipotesis utama yang diuji dalam penelitian ini. Berdasarkan hasil pengujian statistik dengan metode regresi dan analisis jalur, penelitian menyimpulkan (1) pengalaman dan pendidikan secara bersama-sama berpengaruh signifikan terhadap pengetahuan, (2) pengalaman, pendidikan, umur, pekerjaan, status perkawinan dan pengetahuan secara bersama memiliki pengaruh yang signifikan terhadap sikap, dan (3) pendidikan, umur, pekerjaan, status perkawinan, akses dan sikap secara bersama berpengaruh signifikan terhadap perilaku penggunaan kondom di kalangan Gendak. Rekomendasi untuk meningkatkan perilaku penggunaan kondom di kalangan Gendak adalah antara lain (1) peningkatan dan perbaikan akses kondom dengan cara: a) perluasan pembentukan outlet kondom yang dekat dengan lokasi transaksi seks; b) kondom tidak diberikan secara gratis namun dijual dengan harga yang terjangkau, c) meningkatkan kualitas fisik kondom (lebih halus, tipis dan sesuai ukurannya); (2) kampanye penggunaan kondom; (3) diseminasi informasi HIV&AIDS dilakukan melalui media massa berupa TV, radio dan surat kabar; (4) membuat kebijakan Peraturan Daerah (Perda) penggunaan kondom 100% terutama di tempat lokalisasi; dan (5) pemberdayaan masyarakat melalui pembentukan Peer Educators di kalangan Gendak maupun wanita penaja seks.

<hr>To date, the spread of HIV in Indonesia is increased dramatically, as well as the cases of AIDS found. The epidemiology data shows that since 1995 the HIV cases have been worsening. In several areas, the prevalence of HIV among commercial sex workers is increasing and reaching approximately 5%. As a consequence, this level of epidemic has moved Indonesia towards a concentrating epidemical category amongst high risk group. The [www.aids-ina.org](http://www.aids-ina.org) reported that as of September 2007, four provinces as the highest cumulative AIDS cases in Indonesia include DKI Jakarta, Jawa Barat, Papua, and Jawa Timur. AIDS causes significant impact on the changes of society structure. This disease increases the mortality rate of mothers and children in Indonesia, and also endangers the workers life expectancy in Indonesia as this case tends to be found among the productive age of workers. The disease also creates an obstacle in the efforts to reduce poverty in Indonesia (UNDP, 2001). In 2010, it is predicted that about 110.000 people will suffer or die due to AIDS and there will be one to five million people infected by HIV. The serious threat of HIV&AIDS had made the prevention towards the spread of HIV&AIDS was taken as one goal of amongst eight important goals in the Millennium Development Goals (MDGs). AIDS is an infected disease caused by the Human Immunodeficiency Virus (HIV). This disease infects people through several ways and most dominant way is through unsafe sexual activity (without using condom). The disease is a very dangerous disease as it could cause death and until now, there have been no vaccines or drugs that could prevent or cure the disease. Several studies and surveys indicate that the level for the use of condom is still low among the clients of female commercial sex workers. Theoretically, the use of condom in commercial sex activities is the most important way to prevent the spread of HIV infection. Based on the above mentioned problems, this study is intended to know what factors which influence the behavior for the use of condom among the spouses of women commercial sex workers (Gendak) when they have sexual activities with their partners and/or other risky groups as one of the prevention methods to reduce the spread of HIV&AIDS. There are 211 Gendaks interviewed, consisting of 111 Gendaks, who are the assisted group of Yayasan Perkumpulan Bandungwangi (PBW) and the other 100 Gendaks, who are the assisted group of Perkumpulan Keluarga

Berencana Indonesia (PKBI) DKI Jakarta, in East Jakarta Municipality. Researcher applies the quantitative approach by analyzing the primary data which were collected through survey method by answering the main questions of this study. The data were collected and processed by using the computer program, namely Microsoft Excel 2002 and SPSS for Windows Release 11.00, then used the regression analysis of enter method and continued with path analysis to see the coefficient of Direct Influence and Indirect Influence of several variables which were tested. In this study, the dependent variable is the condom use behavior. While the independent variables are eight factors, namely (1) experience of having such diseases like sexual transmission infection (STI), HIV&AIDS; (2) knowledge about STI, HIV&AIDS; (3) attitude; (4) educational background; (5) jobs; (6) ages; (7) marital status; and (8) condoms accessibility. There are 3 main hypothesis are tested. Based on the statistical regression and path method analysis results conclude that (1) experience of having such diseases like STI, HIV/AIDS and educational background significantly influences on Gendak's knowledge, (2) experience of having such diseases like sexual transmission infection (STI), HIV&AIDS, educational background, job, age, and marital status, and knowledge about STI, HIV&AIDS significantly influence on Gendak's attitude; and (3) educational background, job, age, marital status, condom accessibility and attitude significantly influence on Gendak's condom use behavior. Recommendations to increase the condom use behavior amongst Gendak include (1) increasing and improving condom accessibility through ways of: a) widening the condom outlets located near by the locations of the sexual transaction, b) no distribution of free condoms, but they should be sold at an affordable price, c) increasing the physical quality of condoms (tenderer, thinner and fit in size); (2) campaigns for the use of condom; (3) information disseminations of HIV&AIDS through mass media such as TV, radio, and newspapers, (4) develop a local policy for 100% use of condom in the commercial sex locations; and (5) community empowerment through the establishment of peer educators (PE) amongst Gendaks as well as amongst the female commercial sex workers.