

Pengaruh elevasi ekstremitas bawah terhadap proses penyembuhan ulkus diabetik di wilayah Banten tahun 2010

Indah Wulandari, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=137194&lokasi=lokal>

Abstrak

Diabetik melitus mengakibatkan komplikasi, salah satunya adalah ulkus. Penelitian kuasi eksperimen dengan pendekatan nonequivalent control group design ini bertujuan mendapatkan gambaran "pengaruh elevasi ekstremitas bawah terhadap proses penyembuhan ulkus diabetik di wilayah Banten". Sampel penelitian adalah pasien diabetes melitus dengan ulkus berjumlah 7 orang kelompok kontrol dan 6 orang kelompok intervensi.

Hasil penelitian menunjukkan ada pengaruh elevasi ekstremitas bawah terhadap proses penyembuhan ulkus (p value 0,003). Perawat seharusnya melakukan elevasi pada ekstremitas bawah yang mengalami ulkus diabetik selama 10 menit setiap aktivitas >15 menit.

<hr>Diabetes mellitus result complication, one of the is ulcer. This quasi experiment research with group control nonequivalent design approach aim to get a description about "influence of elevation of lower extremity to diabetic ulcer healing proces in Banten". Sample in this research were diabetes mellitus patient with ulcer, consist of 7 repondent in control group and 6 repondent in intervention group.

The result showed that lower extremity elevation were significantly associated with diabetic ulcer healing processs (p value 0,003). Nurse should be elevate the lower extremity with diabetic ulcer during 10 minutes after activity more than 15 minutes.