

Ketidaksesuaian resep-resep obat antidiabetik oral pasien rawat jalan terhadap formularium rumah sakit Tahun 2007 di RSUD Budhi Asih.

Dewi Shintaresmi WP, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20176835&lokasi=lokal>

Abstrak

Formularium merupakan dokumen berisi kumpulan produk obat yang digunakan sebagai standar pengobatan terhadap pasien di RSUD Budhi Asih. Tujuan dari penelitian ini adalah untuk memperoleh gambaran umum mengenai ketidaksesuaian resep terhadap formularium rumah sakit, khususnya pada pasien rawat jalan penderita Diabetes Melitus. Selain itu juga untuk mengetahui hubungan antara pengetahuan dan sikap dokter terhadap formularium RSUD Budhi Asih edisi tahun 2007, pengetahuan dan sikap pasien serta status pengobatan pasien dengan ketidaksesuaian resep. Desain penelitian ini bersifat deskriptif analitik dengan pengumpulan data secara retrospektif. Data yang diambil merupakan data primer dan data sekunder, dilakukan selama periode Januari hingga Juni 2007. Hasil penelitian menunjukkan bahwa ketidaksesuaian resep terhadap formularium rumah sakit sebesar 15,1 % dan kesesuaian resep sebesar 84,9 %. Berdasarkan hasil analisis statistik dengan uji Chi Square, dapat disimpulkan bahwa ada hubungan antara pengetahuan dokter, sikap dokter, status pengobatan pasien, pengetahuan, dan sikap pasien dengan ketidaksesuaian resep terhadap formularium rumah sakit.

< i>Formulary is a document which contains of the products that used as a standard medication for patient in RSUD Budhi Asih. This study has been done in order to get a general description of the inappropriate of prescriptions with the Hospital Formulary, especially Diabetes Melitus out patient. Moreover, to find out the correlation between the knowledge and doctors attitude about the Budhi Asih Hospital Formulary year 2007 ed, knowledge and patient attitude and status medication of patient with inappropriate of prescription. The method of this study was analytical descriptive with the collecting data by retrospective, primary and secondary data from January until June 2007. The result showed that 15,1 % prescription was inappropriate and 84,9 % prescription was appropriate to the Hospital Formulary. Based on the statistical analysis by chi square test method, it could be concluded that there was a significant correlation between knowledge and attitude of the doctors, the status of patient, knowledge and attitude of patient with inappropriate prescription to the hospital formulary.</i>