

# Hubungan karakteristik dengan tingkat pengetahuan klien pengguna napza tentang HIV Aides di RS DRH Marzoeki Mahdi Bogor = Characteristics of relationships with NAPZA user level knowledge about HIV/AIDS in the hospital, DR. H. Marzoeki Mahdi Bogor

Pardosi, Herlina, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20276541&lokasi=lokal>

---

## Abstrak

Peningkatan kejadian HIV/AIDS pada pengguna NAPZA disebabkan masih banyak pengguna NAPZA belum memahami HIV/AIDS, dihubungkan dengan karakteristiknya seperti: tingkat pendidikan, usia, media informasi, dan jenis kelamin. Penelitian ini bertujuan mengidentifikasi hubungan karakteristik dengan tingkat pengetahuan pengguna NAPZA tentang HIV/AIDS. Desain penelitian adalah deskriptif korelasi dengan alat ukur kuesioner, terdiri dari pertanyaan tentang data demografi dan pertanyaan tentang tingkat pengetahuan tentang HIV/AIDS. Analisa data yang digunakan adalah metode distribusi frekuensi dengan ukuran presentase. Teknik analisis menggunakan Chi-Square dan T-Independent. Hasil penelitian menunjukkan adanya hubungan antara usia dengan tingkat pengetahuan pengguna NAPZA tentang HIV/AIDS ( $p:0,000, \leq 0,05$ ). Tidak ada hubungan antara pendidikan dengan tingkat pengetahuan pengguna NAPZA tentang HIV/AIDS. Peneliti menyarankan agar meningkatkan pengetahuan tentang HIV/AIDS untuk mencegah penularan HIV/AIDS.

<br><br>

Kata kunci: HIV/AIDS, karakteristik, NAPZA, pengetahuan.

<hr><i>The even increase of HIV/AIDS on the user NAPZA it cause still many user did not understand about HIV/AIDS, associated with the characteristics for example; level of education, age, media information, and sex, this research for identify relationship characteristics with level of knowledge on the user NAPZA about HIV/AIDS. Design of Research is descriptive correlation with questionnaire measuring tool consists of questions about demographic data and question about level of knowledge about HIV/AIDS. Analysis of the data used is frequency distribution method with presentace size. Technical analysis by using Chi-Square and T-Independent. Results of research indicate the existence of the relationship between the age of the user's knowledge level NAPZA on HIV/AIDS ( $P:0,000, \leq 0,005$ ). There is no relationship between level of education with knowledge about the user NAPZA HIV/AIDS. Researchers suggest that in order to increase knowledge about HIV/AIDS to prevent the spread of HIV/AIDS.

<br><br>

Key word: HIV/AIDS, characteristics, NAPZA, knowledge.</i>