

Analisis hubungan kualitas tidur dengan kadar glukosa darah pada pasien diabetes mellitus tipe 2 di Rumah Sakit Umum Propinsi Nusa Tenggara Barat = Association of sleep quality and blood glucose in type 2 diabetes patient in general hospital province of west Nusa Tenggara

Zaenal Arifin, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20282771&lokasi=lokal>

Abstrak

ABSTRAK

Diabetes Mellitus (DM) merupakan gangguan metabolisme akibat adanya defisiensi insulin atau resistensi insulin sehingga menyebabkan peningkatan kadar glukosa darah dan glukosuria. Toleransi glukosa dan sensitivitas insulin dapat berkaitan dengan gangguan tidur. Hiperglikemia yang berlangsung lama dapat menyebabkan terjadinya gangguan fungsi ginjal, mata, saraf, kardiovaskuler dan kerusakan pembuluh darah perifer. Penelitian ini bertujuan untuk mengetahui hubungan kualitas tidur dengan kadar glukosa darah pasien DM tipe 2 di Rumah Sakit Umum Propinsi Nusa Tenggara Barat. Penelitian ini merupakan penelitian analitik korelatif dengan desain cross-sectional dengan jumlah sampel sebanyak 96 orang. Hasil analisis dengan korelasi Pearson menunjukkan adanya hubungan kualitas tidur dengan kadar glukosa darah pasien DM tipe 2 ($r=0.277$, $p=0.006$), hubungan berpola positif. Aktivitas fisik berkontribusi terhadap hubungan kualitas tidur dengan kadar glukosa darah. Berdasarkan hasil penelitian ini perawat sebaiknya memperhatikan pemenuhan kebutuhan istirahat dan tidur pasien DM.

<i>ABSTRACT</i>

Diabetes mellitus was a metabolic disorder related to insulin deficiency or insulin resistance, and it can raised blood glucose concentration and glycosuria. Glucose intolerance and insulin sensitivity related to sleep disturbance. Chronic hyperglycemia was associated with kidney, eyes, nerve, cardiovascular failure and peripheral vascular disease. The aim of this Study was to determine association between sleep quality and blood glucose. objectives to determine the associated of sleep quality and blood glucose in Type 2 Diabetes Patients in General Hospital Province of West Nusa Tenggara. It was cross-sectional study with 96 sample. Pearson Correlation showed that sleep quality was related to blood glucose of type 2 Diabetes patients ($r=0.277$, $p=0.006$). Physical activity have contribution to the association of sleep quality and blood glucose level in type 2 Diabetes. Based on this result, nurse should give serious attention in rest and sleep for tipe 2 diabetic patient.</i>