

# Prevalensi dan identifikasi faktor resiko depresi pascamelahirkan dengan menggunakan Edinburgh Oostnatal Depression Scala

Edina Noor Utami, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20285438&lokasi=lokal>

---

## Abstrak

### <b>ABSTRAK</b><br>

Depresi pasca melahirkan adalah salah satu gangguan afektif yang dialami ibudalam jangka waktu satu bulan hingga satu tahun pasca melahirkan. Prevalensi gangguan ini bervariasi mulai dari 0,5% - 60%. Terdapat beberapa faktor yang didugameningkatkan resiko kemungkinan terkena depresi pasca melahirkan. Tingkat prevalensi dan faktor resiko merupakan hal yang dipengaruhi oleh budaya. Olehkarena itu penelitian ini perlu dilakukan untuk melihat prevalensi dan faktor resikoyang terdapat di Jabodetabek. Pengukuran prevalensi dan faktor resiko dilakukan dengan mengkorelasikan Edinburgh Postnatal Depression Scale (EPDS) dan datademografi. Penelitian ini merupakan penelitian kuantitatif dengan setting hospitalbased yang dilakukan di puskesmas Sukmajaya, Depok pada perempuan yang barumelahirkan dan memiliki bayi berusia satu bulan hingga satu tahun. Prevalensi diukurdengan hasil EPDS dan analisis faktor resiko dihitung dengan menggunakan tekniklogistic regression. Hasil penelitian menunjukkan bahwa prevalensi depresi pascamelahirkan di Jabodetabek sebesar 45% dan faktor resiko yang dominan adalahpendidikan rendah dan suami yang tidak memberikan dukungan pengasuhan anak.

<hr>

### <b>ABSTRACT</b><br>

Postpartum depression is an affective disorder that occurs during approximately one month to one year after childbirth. Prevalence of this disorders starts from 0,5 % -60% with various risk factor depends on the culture. Therefore, this research need to be conducted to examine prevalence and risk factor in Jabodetabek. Postpartum depression is measured with correlation between EPDS and demographic questionnaire. This research is a quantitative research. The settings of this research is hospital based settings that held on Puskesmas Sukmajaya, Depok. Samples of this research are women who had just given birth and has a baby with age between one month and one year. The result of this research is that prevalence of postpartum depression is 45% and the significant risk factor are low education and unsupportive husband.