

# Kualitas lingkungan fisik rumah dengan kejadian ISPA pada balita di wilayah kerja puskesmas kelurahan Warakas kecamatan Tanjung Priok Jakarta Utara tahun 2011

Sinaga, Epi Ria Kristina, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20290037&lokasi=lokal>

---

## Abstrak

Laporan WHO menyebutkan bahwa penyebab kematian tertinggi akibat infeksi di dunia adalah infeksi saluran napas akut (ISPA). Laporan WHO dan Depkes menyebutkan bahwa ISPA merupakan salah satu penyebab kematian tertinggi pada balita. Bahkan, hingga saat ini, ISPA masih merupakan masalah kesehatan masyarakat di Indonesia. Tujuan penelitian untuk mengetahui hubungan Kualitas Lingkungan Fisik Rumah dengan Kejadian ISPA pada Balita di Wilayah Kerja Puskesmas Kelurahan Warakas Kecamatan Tanjung Priok Jakarta Utara Tahun 2011. Merupakan studi observasional dengan disain cross sectional. Jumlah sampel 150 balita diambil secara non probability sampling (bersifat accidental sampling). Uji statistik yang digunakan adalah Chi-Square dan Regresi Logistik.

Hasil analisis univariat dari 150 balita yang dijadikan sampel penelitian diperoleh 112 kasus ISPA (74,7%). Kualitas Lingkungan Fisik Rumah yang tidak memenuhi syarat antara lain jenis lantai (14,7%), jenis dinding (58,7%), jenis atap (58%), ventilasi (6%), kepadatan hunian (62,7%), suhu (88,7%), kelembaban (68,7%), dan pencahayaan (79,3%). Karakteristik Keluarga yang tidak memenuhi syarat antara lain pengguna anti nyamuk (23,3%), berprilaku merokok (70%), pengguna bahan bakar memasak (15,3%), sosial ekonomi rendah (39,3%), dan pendidikan ibu rendah (60,7%). Sedangkan Karakteristik Responden yang tidak memenuhi syarat antara lain status imunisasi berisiko atau tidak lengkap (37,3%), dan status gizi berisiko atau tidak normal (27,3%).

Hasil analisis bivariat menunjukkan bahwa terdapat hubungan antara Kepadatan Hunian ( $p = 0,032$ ; OR = 2,346) dan Status Gizi ( $p = 0,034$ ; OR = 3,126) terhadap kejadian ISPA. Kualitas Lingkungan Fisik Rumah yang memiliki hubungan dengan kejadian ISPA pada Balita di Kelurahan Warakas adalah Kepadatan Hunian. Karakteristik Keluarga di Kelurahan Warakas tidak memiliki hubungan terhadap kejadian ISPA pada Balita. Karakteristik Responden yang memiliki hubungan dengan kejadian ISPA pada Balita di Kelurahan Warakas adalah Status Gizi, dengan status gizi sebagai faktor yang paling dominan dan anti nyamuk sebagai faktor perancu.

.....WHO report said that the highest death because of infection in the world is an acute respiratory infection (ARI). WHO and Depkes reported that the ARI is one of the highest death cause in infants. In fact, until recently, ARI is still a public health problem in Indonesia. The goal of research to determine the relationship of Quality house Physical Environment with ARI incidence in Toddlers at Work Area Health Center Village District Warakas North Jakarta Tanjung Priok in 2011. An observational study with cross sectional design. The number of samples taken in 150 infants of non probability sampling (sampling is accidental). Statistical tests used were Chi-Square and Logistic Regression.

The analysis report from 150 infants who obtained the study sampled 112 cases ISPA (74%). The quality of house environment physically that do not fulfil the requirement are: the type of floor (14,7%), type of wall (58%), tipe of roof (58%), ventilation (6%), density residential, (62,7%), temperature (88,7%), humidity (68,7%), exposure (79,3%). The characteristic of families that do not support are: the using of anti-mosquito

(23,3%), smoking habit (70%), use cooking fluel (15,3%), low socio-economic conditions (39,3%),, and low mother education (60,7%). The Responden characteristics that do not support are: immunization at risk risk and do not complete (37,3%), and the nutrient at risk risk or do not normal (27,3%).

The result bivariate anylisis showed that there is the conection between density residential ( $p = 0,032$ ; OR = 2,346) and nutrient statue ( $p = 0,034$ ; OR = 3,126) for ISPA. Quality of House Physical Environmental who has a relationship with the incidence of ARI in Toddlers in Village Warakas is Density Residential.

Characteristics of Families in the Village Warakas has no relationship to the incidence of ARI in Toddlers. Characteristics of Respondents who have a relationship with the incidence of ARI in the toddler in the Village is Warakas Nutritional Status, which the statue of nutrient is become the dominant factor and the using of anti-mosquito as a confounding factor.