

Evaluasi terapi ARV terhadap perubahan jumlah CD4 dan berat badan dan terapi OAT terhadap perubahan berat badan pada pasien koinfeksi TB/HIV di Unit Pelayanan Terpadu HIV RSUPN DR. Cipto Mangunkusumo tahun 2009

Prisilia Nurul Fajrin K, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20293331&lokasi=lokal>

Abstrak

ABSTRAK

Skripsi ini membahas evaluasi hasil terapi ARV terhadap perubahan jumlah CD4 dan berat badan, serta terapi OAT terhadap perubahan berat badan pada pasien koinfeksi TB/HIV di RSCM tahun 2009. Penelitian ini dilakukan untuk mengetahui keefektifan terapi ARV dan OAT, serta melihat pengaruh karakteristik demografi terhadap perubahan berat dan jumlah CD4 pada pasien koinfeksi TB/HIV di RSCM. Desain studi yang dipakai adalah Cross sectional. Hasil penelitian membuktikan bahwa pasien yang mendapat terapi ARV

mengalami peningkatan jumlah CD4 rata - rata sebesar 200,44 sel/mm³ dengan p value 0,0005 (bermakna secara statistik). Pada pengukuran berat badan, ternyata terapi ARV meningkatkan berat badan pasien rata - rata sebesar 5,12 kg dengan p value 0,0005 (bermakna secara statistik), dan pada pasien yang mendapatkan terapi OAT secara lengkap berat badan meningkat rata ? rata sebesar 4,79 kg dengan p value sebesar 0,0005 (bermakna secara statistik). Berdasarkan karakteristik demografi, bahwa pada pasien dengan kelompok umur lebih dari 30 tahun, pendidikan lebih dari SMA, sudah menikah, bekerja dan jenis kelamin laki-laki mempunyai peningkatan berat badan yang lebih tinggi, namun uji statistik tidak signifikan. Jika dilihat dari peningkatan jumlah CD4, pasien dengan kelompok umur lebih dari 30 tahun, pendidikan lebih dari SMA, sudah menikah,

bekerja dan jenis kelamin perempuan mempunyai peningkatan jumlah CD4 yang lebih tinggi, namun uji statistik tidak signifikan. Maka, kesimpulannya adalah karakteristik demografi tidak mempengaruhi peningkatan berat badan maupun jumlah CD4.

<hr>

ABSTRACT

This research discusses the evaluation results of antiretroviral therapy on CD4 cell count changes and weight, and OAT therapy on weight changes in patients coinfected with TB/HIV in RSCM in 2009. The study was conducted to determine the effectiveness of ARV therapy and OAT and see the impact of demographic characteristics to changes in weight and CD4 count in patients coinfected with TB/HIV in RSCM. Study designed used was cross sectional. Research shows that patients who received antiretroviral therapy experienced an increase in mean CD4 counts average of 200,44 cell/mm³ with a p value 0.0005 (statistically significant). In the measurement of body weight, ARV therapy can increase a patients weight average of 5,12 kg with a p value 0.0005 (statistically significant), and in patient receiving OAT full weight increase average of 4,79 kg with a p value of 0.0005 (statistically significant). Based on demographic characteristics, that in patients with age group over 30 years, more than high that in patients with age group over 30 years, more than high school education, married, working and male gender had a weight gain is higher, but the test was not statistically significant. If viewed from an increase in CD4 cell counts, patients

with the age group over 30 years, more than high school education, married, working and women gender have increased CD4 counts are higher, but the test was not statistically significant. Thus, the conclusion is the demographic characteristics did not affect weight gain and CD4 cell count