

Determinan Pemanfaatan Pertolongan Persalinan oleh Tenaga Kesehatan di Puskesmas Cijeruk Kabupaten Bogor Tahun 2012 = Determinants of Delivery Assistance by Health Professional at Cijeruk Health Center Bogor

Khaerudin, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20308412&lokasi=lokal>

Abstrak

ABSTRAK

Angka Kematian Ibu (AKI) di Indonesia masih cukup tinggi. Sebagian besar terjadi selama melahirkan dan periode postpartum langsung dengan penyebab utama akibat komplikasi obstetrik. Pertolongan persalinan oleh tenaga kesehatan telah dikaitkan dengan upaya menurunkan angka kematian ibu, pemanfaatan pelayanan ini masih relatif rendah. Penelitian ini bertujuan untuk mengidentifikasi determinan pemanfaatan pelayanan berdasarkan karakteristik individu. Penelitian ini menggunakan pendekatan cross sectional, dengan data primer yang dikumpulkan melalui penyebaran angket kepada 203 responden. Hasilnya menunjukkan ada hubungan antara pendapatan keluarga, sikap terhadap pelayanan kesehatan dan persepsi kebutuhan kesehatan yang dirasakan dengan pemanfaatan pertolongan persalinan oleh tenaga kesehatan. Sikap merupakan determinan paling dominan terhadap pertolongan persalinan oleh tenaga kesehatan ($p=0,000$ OR=19,292 CI 95%=8,337-44,644). Sedangkan umur, tingkat pendidikan, pekerjaan, kepemilikan jaminan kesehatan, persepsi jarak dan waktu tempuh ke fasilitas kesehatan tidak teridentifikasi berhubungan secara signifikan. Disarankan kepada pihak puskesmas untuk meningkatkan koordinasi dengan berbagai pihak terkait, mengintegrasikan program kesehatan ibu dengan program lain, melibatkan masyarakat dalam mengidentifikasi masalah kesehatan, dan menyebarkan informasi pentingnya pertolongan persalinan oleh tenaga kesehatan.

<hr>

ABSTRACT

Maternal Mortality Rate (MMR) in Indonesia is still quite high. Mostly occurred during delivery and immediate postpartum period due to the major cause of obstetric complications. Delivery assistance by health professionals has been associated with reducing maternal mortality effort, this service utilization is still relatively low. The aim of this study is to identify the determinants of health service utilization based on individual characteristics. Cross sectional approach was used with primary data that is collected by spread out the questionnaire to 203 respondents with . The results showed that there is a relationship between family income, attitudes toward health care and perceptions to the need of health service with the utilization of delivery assistance by health professionals.

Attitude is the most dominant determinant of delivery assistance by health professional ($p = 0.000$ OR = 19.292 95% CI = 8.337 to 44.644). As for age, education level, occupation, property insurance, the perception of distance and travel time to health facilities was not significantly associated. The recommendation for the Cijeruk Health centre is to enhance coordination with relevant stakeholders, integrating maternal health program with other programs, involving the community in identifying health problems, and disseminate important information delivery assistance by health professionals.