

Hubungan tingkat pajanan kebisingan dengan keluhan pendengaran pada pekerja bagian priduksi PT Sanggar Sarana Baja tahun 2012

Rina Surianti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20313530&lokasi=lokal>

Abstrak

Kebisingan merupakan risiko dalam bidang kesehatan bagi pekerja yang kemungkinan timbulnya penyakit akibat kerja (work related disease). Tujuan dari penelitian ini adalah mengetahui hubungan tingkat pajanan kebisingan dengan keluhan pendengaran pada pekerja bagian produksi PT Sanggar Sarana Baja.

Penelitian ini merupakan Studi deskriptif yang bersifat analitik dengan pendekatan rancangan Studi yang digunakan cross sectional, yaitu melakukan pengamatan pada subyek penelitian sebanyak 195 sampel terpilih dari populasi pekerja pada bagian produksi dan diikuti dengan pengukuran intensitas kebisingan di lingkungan kerja dengan menggunakan sound level meter. Pengukuran kebisingan menunjukkan intensitas bising pada 6 area kerja berkisar antara 81-89 decibel A (dBA).

Berdasarkan analisis menggunakan chi-square terdapat 116 pekerja dengan persentase (59,5%) mengalami keluhan pendengaran akibat bising. Hasil penelitian menunjukkan adanya hubungan yang signifikan antara tingkat pajanan kebisingan dengan keluhan pendengaran pada pekerja PT Sanggar Sarana Baja. Beberapa variabel lainnya yang diteliti adalah karakteristik pekerja seperti umur, masa kerja, pendidikan, riwayat penyakit telinga, riwayat minum obat, lama pajanan, pelatihan dan perilaku pekerja seperti kebiasaan merokok, penggunaan alat pelindung telinga (APT). Berdasarkan hasil penelitian perlunya peranan pihak perusahaan agar lebih mengefektikan penggunaan APT pada pekerja, serta memberikan penghargaan terhadap pekerja yang selalu menggunakan APT dan memberikan sanksi pada pekerja yang tidak menggunakan APT.

<i>Noise is a health risk for Workers in the likelihood of occupational diseases (Work related Disease). The purpose of this study was to determine the noise exposure level relationships With the Workers' grievance hearing on the production of PT Sanggar Sarana Baja.

This research is a study that is analytic deskriptif design approach used cross sectional study, which observed a total of 195 subjects selected from a population sample of Workers in the production and was followed by measuring the intensity of noise in the Workplace by using a sound level meter. Noise measurements indicate the intensity noise in the Work area ranged from 6 81-89 decibel A (dBA).

Based on chi-square analysis using the 116 Workers there by the percentage (59.5%) experienced a loss due to noise complaints. The results showed a significant relationship between the level of noise exposure in Workers with hearing complaints PT Sanggar Sarana Baja. Some of the other variables studied were the characteristics of Workers such as age, tenure, education, history of ear disease, history of medicine, long exposure, training and employee behaviors such as smoking, use of ear protectors (PPE). Based on the

results of the study the need for the role of the company to be more effective use ear protectors to Workers, as Well as pay tribute to Workers who are constantly using and impose sanctions on employees who are not using ear protectors.</i>