

Faktor-faktor yang berhubungan dengan perilaku pencarian pengobatan malaria klinis pekerja musiman keluar Pulau Jawa di Puskesmas Tegalombo Kabupaten Pacitan tahun 2012. = Factors related to the care seeking treatment behavior of clinical malaria of temporally workers to out side Java Island in Tegalombo Health Center Pacitan district 2012

Arief Musthofa, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20313820&lokasi=lokal>

---

Abstrak

Di Kabupaten Pacitan kasus malaria didominasi oleh pekerja musiman yang pulang bekerja dari luar Jawa 347 orang (95,8% dari total kasus) pada tahun 2011. Berdasarkan surveilans aktif Puskesmas Tegalombo prosentase pekerja musiman bergejala klinis malaria yang pulang dari luar Jawa tidak memeriksakan ke layanan kesehatan sebesar 76,6%. Tujuan penelitian ini adalah untuk mengetahui perilaku pencarian pengobatan malaria klinis pekerja musiman yang bekerja keluar pulau Jawa setelah kepulangannya di daerah asal tempat tinggalnya. Desain penelitian yang digunakan adalah cross sectional. Subyek penelitian sebanyak 270 pekerja musiman, berumur 17 tahun dengan gejala klinis malaria 1 bulan setelah kedatangannya dari luar Jawa.

Hasil penelitian menunjukkan 37,4% pekerja musiman melakukan pengobatan sendiri malaria klinis yang dideritanya. Terdapat hubungan yang bermakna antara variabel pengetahuan dan jarak dengan perilaku pencarian pengobatan malaria klinis pekerja musiman keluar Pulau Jawa dengan OR masing-masing 2,43 (95% CI; 1.411-4.171) dan 3,38 (95 CI; 1,945- 5,862) Pendekatan layanan kesehatan hendaknya di ikuti dengan peningkatan pengetahuan petugas kesehatan khususnya bidan desa dan perawat untuk melakukan pengambilan sediaan darah guna penegakan diagnosis pasti malaria. Diperlukan peningkatan pengetahuan pekerja musiman melalui media penyuluhan.

.....

In Pacitan district case of malaria dominated by temporally workers who return to work from outside Java island. In 2011 total case of malaria by temporally 347 people (95.8% of total cases). Percentage of clinical malaria temporally workers who come from outside Java island not checked into the Tegalombo health service is 76%. The Objective of this study was to determine clinical malaria treatment seeking behavior of temporally workers who work out of Java island after his return to his residence. Study design is cross sectional. Research subjects and as many as 270 temporally workers aged 17 years, one month after his arrival from outside Java.

The results showed 37% of temporally workers make own treatment of clinical malaria symptoms that their suffered. There is a significant association between the variables of knowledge and distance with a clinical malaria treatment seeking behavior temporally workers with respective OR 2.43 (95% CI: 1411-4171) and 3.38 (95 CI: 1.945 to 5.862). Health care approach should be followed by an increase in knowledge of health workers, especially midwives and nurses to perform collection of blood preparation for definite diagnosis of malaria. Required increased knowledge of temporally workers through media outreach.