

Promosi kesehatan, dukungan suami dan faktor lain hubungannya dengan inisiasi menyusu dini di wilayah Puskesmas DTP Wanaraja Garut tahun 2012 = Health promotion, support husband and other factors relationship early initiation of breastfeeding with its Regional Health Center in DTP Wanaraja Garut year 2012

Herfia Risfiani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20315213&lokasi=lokal>

Abstrak

IMD (inisiasi menyusu dini), pemberian ASI dini pada jam pertama sesudah bayi lahir, selain berdampak pada pertumbuhan, perkembangan dan perlindungan bayi, juga akan berdampak pada keberhasilan pemberian ASI eksklusif . Proporsi IMD di Kecamatan Wanaraja masih rendah yaitu sekitar 53,3% lebih rendah dari kecamatan tetangganya yaitu Kecamatan Karangpawitan, 63,3%.

Penelitian ini bertujuan untuk membuktikan adanya gambaran IMD di wilayah Puskesmas DTP WanarajaGarut tahun 2012 dan faktor-faktor apa saja yang terbukti berhubungan.

Penelitian ini dilakukan dengan menggunakan pendekatan kuantitatif, bersifat observasional yang cross sectional dengan pengumpulan data primer yang dilaksanakan pada bulan Maret sampai dengan Juni 2012 pada 97 responden.

Hasil penelitian menunjukkan proporsi inisiasi menyusui dini di Puskesmas DTP Wanaraja tahun 2011 masih rendah yaitu 53,6%. Variabel yang memiliki hubungan bermakna dengan inisiasi menyusui dini adalah promosi kesehatan, dukungan suami, dan dukungan petugas.

Masih rendahnya proporsi IMD di Puskesmas DTP Wanaraja disarankan agar Kepala Puskesmas DTP Wanaraja dapat memfungsiakan petugas kesehatan di wilayah kerjanya untuk mempromosikan dan memfasilitasi IMD. Petugas kesehatan khususnya bidan, lebih proaktif dalam menyampaikan informasi tentang IMD. Dinas Kesehatan Kabupaten Garut agar membuat kebijakan tentang IMD, sekaligus membuat petunjuk pelaksanaan dan media informasi serta evaluasi dan koreksi tentang pelaksanaan dan pengawasan program tersebut.

.....
IMD (early initiation), early breastfeeding in the first hour after birth, in addition to impact on growth, development and protection of infants, will also impact on the success of exclusive breastfeeding. Wanaraja proportion of IMD in the District is still low at about 53.3% lower than the neighboring sub districts Karangpawitan, 63,3%.

This study aims to prove the existence of IMD in the picture Wanaraja Garut DTP health centers in 2012 and what factors are shown to be associated.

The study was conducted using a quantitative approach, is a cross sectional observational study with

primary data collection is carried out in March through June 2012 in 97 respondents.

The results showed the proportion of early initiation of breastfeeding in the health center in 2011 Wanaraja is still low at 53.6%. Variables that have a meaningful relationship with early initiation of breastfeeding is a health promotion, support my husband, and support staff.

The low proportion of IMD in the health center is recommended that the Head Wanaraja health centers Wanaraja can enable health workers in their working area to promote and facilitate the IMD. Health workers, especially midwives, to be more proactive in providing information about the IMD. Garut District Health Office in order to make policy on the IMD, as well as create guidelines and media as well as evaluation and correction of information about the implementation and supervision of the program.