

Pengaruh aplikasi pasta CPP- ACP terhadap kekasaran permukaan semen ionomer kaca konvensional setelah perendaman dalam Coca Cola = The effect of CPP-ACP paste on surface roughness of conventional glass ionomer cement after Coca Cola immersion

Puti Bianca Sari, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20331002&lokasi=lokal>

Abstrak

Skripsi ini membahas pengaruh aplikasi pasta CPP-ACP terhadap kekasaran permukaan semen ionomer kaca (SIK) konvensional setelah perendaman Coca Cola® dengan cara merendam dalam akuabides (kontrol), Coca Cola®, serta pengaplikasian pasta CPP-ACP yang didiamkan 30 menit atau langsung direndam Coca Cola®. Hasil penelitian menunjukkan terjadi peningkatan kekasaran permukaan yang signifikan pada kelompok rendaman Coca Cola®, penurunan kekasaran permukaan yang tidak signifikan pada SIK konvensional yang diaplikasikan pasta CPP-ACP langsung direndam Coca Cola® dan penurunan kekasaran permukaan yang signifikan pada SIK konvensional yang diaplikasikan pasta CPP-ACP dan didiamkan 30 menit sebelum direndam Coca Cola®. Kesimpulan dari penelitian ini pengaplikasian pasta CPP-ACP baik didiamkan selama 30 menit ataupun langsung direndam Coca Cola® tidak menunjukkan perbedaan penurunan kekasaran permukaan yang signifikan.

<hr><i>This research discusses about the efficacy of application CPP-ACP paste toward surface roughness of conventional glass ionomer cement (GIC) after immersion in Coca Cola® by immersing the specimens in aquabides (control group), Coca Cola®, applying CPP-ACP paste then immersed in Coca Cola® directly or in the next 30 minutes. This research showed that the surface roughness of conventional GIC increased significantly after immersing in Coca Cola®, while after applying CPP-ACP paste then immersed in Coca Cola®, surface roughness of conventional GIC decreased. Furthermore, there were significant decreasing of surface roughness of conventional GIC after applying CPP-ACP paste then immersed in Coca Cola® in the next 30 minutes. The conclusion is the decreasing surface roughness of conventional GIC between after applying CPP-ACP paste then immersed in Coca Cola® directly and in the next 30 minutes are not significantly different.</i>