

Hubungan karakteristik remaja, keluarga, dan pola asuh keluarga dengan pengendalian risiko penyalahgunaan NAPZA pada aggregate remaja di Kelurahan Tugu Kota Depok = The relationship between adolescent's and family's characteristics, and parenting style with risk control of drugs abuse in adolescent at Kelurahan Tugu Kota Depok

Intan Asri Nurani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20336098&lokasi=lokal>

Abstrak

Perubahan pada masa remaja merupakan risiko yang menyebabkan remaja berperilaku negatif seperti penyalahgunaan NAPZA, sehingga pengendalian risiko diharapkan mampu dilakukan remaja. Tujuan penelitian ini mengidentifikasi karakteristik remaja, keluarga, pola asuh keluarga, dan hubungan antara ketiganya dengan pengendalian risiko penyalahgunaan NAPZA oleh remaja di Kelurahan Tugu Kota Depok. Penelitian ini bersifat kuantitatif dengan pendekatan potong lintang. Jumlah sampel 157, dengan hasil pola asuh demokratis diterapkan oleh 81,5% keluarga, penyalahgunaan NAPZA kurang baik dimiliki 51% remaja dan variabel yang dominan berhubungan yaitu pendidikan ibu, penghasilan keluarga, dan kebiasaan merokok dalam keluarga. Saran yang diberikan adalah meningkatkan asuhan keperawatan keluarga terutama mengenai pola asuh dan komunikasi keluarga, serta mengembangkan program perkesmas melalui bimbingan antisipasi yang didiukung oleh kebijakan pemerintah terutama untuk remaja di Kelurahan Tugu Kota Depok.

.....

Changes in adolescence is the risk of causing them to behave negatively including drug abuse, so they are expected to do the risk control. The aims of this research is to identify adolescent's and family's characteristics, parenting style, and their relationship with risk control of drugs abuse in Adolescent at Kelurahan Tugu Kota Depok. This is a quantitative research with cross sectional methods. There are 157 adolescents as sample, with result that 81,5% families are having authoritarian parenting style, insufficient risk control of drug abuse is identified in 51% of sample and the dominant variable correlated with risk control of drug abuse are mother's education, family income, and family smoking behaviour. Advice given is to improve nursing care of families especially about parenting style and communication, also to develop a community health nursing program through anticipatory guidance that supported by the local government especially for adolescence in Kelurahan Tugu Kota Depok.