

Hubungan status pengawas menelan obat dengan keteraturan mengambil obat anti tuberkulosis pada penderita tuberkulosis paru baru di kabupaten sanggau tahun 2005 (suatu studi kohort historikal) = the relationship between treatment observer status with the regulate took medicine for the new lung tuberculosis sufferer in sanggau distric, 2005 (a historical cohort research)

Sihotang, Albert D., author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20338196&lokasi=lokal>

Abstrak

Untuk menjamin keteraturan pengobatan tuberkulosis diperlukan Pengawas Menelan Obat. Seorang PMO sebaiknya seseorang yang dikenal, dipercaya dan disetujui baik oleh petugas kesehatan maupun penderita. PMO juga seseorang yang tinggal dekat dengan penderita, bersedia membantu penderita dengan sukarela dan bersedia dilatih dan atau mendapat penyuluhan bersama-sama dengan penderita. PMO bertugas untuk mengawasi penderita menelan obat secara teratur, memberi dorongan pada penderita agar mau berobat teratur, mengingatkan penderita untuk periksa ulang dahak, memberikan penyuluhan pada anggota keluarga penderita tuberkulosis yang mempunyai gejala-gejala tuberkulosis untuk memeriksakan diri ke unit pelayanan kesehatan. Beberapa penelitian mernperlihatkan bahwa peran PMO dalam pengobatan penyakit tuberkulosis paru meningkatkan keteraturan berobat.

Pada Tahun 2005 di Kabupaten Sanggau 53% PMO berasal dari tenaga kesehatan, dan penelitian ini bertujuan untuk rnenilai kekuatan hubungan Status Pengawas Menelan Obat dengan keteraturan pengambilan obat penderita tuberkulosis paru di Kabupaten Sanggau - Kalimantan Barat tahun 2005 yang belum pernah diteliti.

Untuk mengetahui gambaran besar variabel Status PMO mempengaruhi keteraturan pengambilan obat di Kabupaten Sanggau, rnaka digunakan desain historical cohort dengan jumlah responden sebanyak 270 orang. Responden merupakan penderita tuberkulosis paru tahun 2005 di Kabupaten Sanggau.

Hasil penelitian rnenunjukkan perbedaan keteraturan pengambilan obat pada penderita tuberkulosis paru yang memiliki PMO berasal dari tenaga kesehatan dengan PMO bukan tenaga kesehatan. Besarnya nilai $RR = 0,659$ yang menunjukkan efek protektif, berarti penderita tuberkulosis paru yang mernilild PMO yang berasal bukan dari tenaga kesehatan lebih teratur mengarnbil obat dibandingkan penderita tuberkulosis yang memilild PMO tenaga kesehatan. Model akhir yang menerangkan hubungan status PMO dengan keteraturan mengarnbil obat = $-7,074 - 0,435 (\text{status PMO}) + 2,587 \{ \text{Pengetahuan Mengenai Ancarnan Tuberkulosis Paru} \} + 1,074 (\text{Penyuluhan Mengenai Pengobatan Tuberkulosis Paru}) + 0,451 (\text{Penyuluhan Mengenai Penularan Tuberkulosis Paru})$.

Pengetahuan mengenai ancaman tuberkulosis paru, penyuluhan mengenai pengobatan tuberkulosis paru dan penyuluhan mengenai penularan tuberkulosis paru akan meningkatkan keteraturan mengambil obat. Pendekatan sosial budaya untuk menginterpersi pengobatan penyaldt tuberkulosis paru, dapat dilakukan

dengan memilih PMO yang berasal dari tokoh masyarakat maupun ketua adat mengingat masyarakat sangat patuh akan hukum adat Dayak dan hukum adat Melayu yang ada di Kabupaten Sanggau.

To ensure a good regulated tuberculosis treatment, a treatment observer must be needed. People who have access to TB Patients on a daily basis and who are accountable to the health services are the most appropriate persons to provide directly observed treatment. Treatment observer must be the persons who are accessible to the patients, take responsibilities of helping the patients and get proper health education with the patients. Treatment observer have duty to observe and disseminating messages to the patients to complete a full course of anti-TB treatment. Treatment observer must advice the patients and their families to checked their sputums to the health centre. Some researches showed that good treatment observers could increased good regulates took medicine.

In Sanggau Distric, 2005 there were 53% of treatment observer recruited from health care workers, and the objective of this research is to acces the relationship between health care worker treatment observers and non health care worker treatment observers with the regulate took medicine for the lung tuberculosis patients in Sanggau District, West Kalimantan, 2005.

It's use a historical cohort study design and 270 total samples. The respondents were the lung tuberculosis sufferers in Sanggau District, 2005.

The result of this research showed that there was relationship between the regulate in taking medicine for health care worker treatment observers and non health care worker treatment observers. $RR=0.659$ show a protective effect, it means that the tuberculosis patient with non health care worker treatment observers more regulate took medicine then the health care workers treatment observer. The last model to showed the relationship of the treatmentobserver status with the regulate took medicine is: $-7.074-0.435$ (Treatment Observers Status) + 2.587 (knowledge of tuberculosis threat) + 1.074 (promotion of lung tuberculosis infection)+ 0.451 (promotion of the uncomplete drugs) Knowledge of the lung tuberculosis threat, the disseminating messages of uncomplete drugs and disseminating messages of lung tuberculosis infection will increase the regulate of took medicine. The conduction. of soc. ial cultur for interperated the cureness of lung tuberculosis could be used by recruit community base approach and social elites as treatment observers, however the strong culture of Dayak and Melayu has been integrated the community in Sanggau District.