

Fenomena kasus-kasus bunuh diri yang terjadi sebagai akibat terjadinya ijime pada Anak-Anak SMP di Jepang Tahun 1990-2009 = The phenomenon of suicide cases that occurred as impact of ijime among Middle School Students in Japan 1990-2009

Nasution, Yenny Arista, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20341611&lokasi=lokal>

Abstrak

Penelitian ini berfokus pada fenomena kasus-kasus bunuh diri yang terjadi sebagai akibat terjadinya ijime pada Anak-anak SMP di Jepang tahun 1990-2009. Ijime adalah sebuah fenomena yang terbentuk dimana terdapat seorang yang meng-ijime dan seseorang yang menjadi korban dari ijime tersebut. Di Jepang ijime menjadi salah satu masalah serius dalam dunia pendidikan sejak tahun 1970-an dan alasan utamanya dilatarbelakangi oleh kenaikan angka persentase bunuh diri anak usia sekolah. Penelitian ini dilakukan dengan pendekatan kualitatif yang bersandar pada teori strukturasi yang dikemukakan oleh Anthony Giddens, konsep bunuh diri dan konsep moral, dengan metode studi pustaka.

Dari hasil penelitian didapatkan bahwa jenis bunuh diri yang terjadi pada penelitian ini adalah bunuh diri anomik yaitu sebanyak enam kasus. Sedangkan bunuh diri altruistik adalah sebanyak empat kasus. Dan jenis bunuh diri egoistik dan anomik adalah satu kasus. Semua kasus bunuh diri yang ada dalam penelitian ini penyebabnya adalah ijime.

.....This study focused on the phenomenon of suicide cases that occurred as impact of ijime among Middle School Students in Japan [990-2009]. Ijime is one of the phenomenon which formed that it had been someone as actor of ijime and the victim of ijime. In Japan, ijime was become the one of seriously problem in the education since 1970?s. The main reason of this problem was background on the increase of percentage of suicide in the school age children. The study was conducted with a qualitative approach that relies on the theory of structuration, the concept of suicide, the concept of moral, and library research.

From the research, it was found that the kind of suicide in this study is the anomic suicide which found six cases, the altruistic suicide is four cases and the egoistic and anomic suicide is one case. The anomic suicide is more occurred in this study. All of the cases of suicide in this study was occurred because ijime.