

Hubungan pengetahuan tanda bahaya kehamilan dengan perilaku perawatan kehamilan pada ibu hamil trimester III = Relationship between knowledge of obstetric danger signs and pregnancy care behavior among third trimester pregnant women

Fandiar Nur Isdiaty, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20346339&lokasi=lokal>

Abstrak

Salah satu penyebab tingginya angka kematian ibu adalah komplikasi kehamilan yang dapat muncul melalui tanda bahaya kehamilan. Pengetahuan ibu hamil dalam mengenali tanda bahaya dapat menjadi salah satu penentu perawatan kehamilan untuk mencegah komplikasi.

Penelitian ini bertujuan untuk mengetahui hubungan antara pengetahuan tanda bahaya kehamilan dengan perilaku perawatan kehamilan pada ibu hamil trimester III. Penelitian ini menggunakan desain deskriptif korelatif dengan pendekatan cross sectional. Pengambilan sampel menggunakan teknik consecutive sampling dengan responden berjumlah 96 ibu hamil trimester III yang sedang melakukan kunjungan antenatal care di Puskesmas Cimanggis dan Puskesmas Sukmajaya.

Hasil penelitian menunjukkan tidak ada hubungan yang signifikan secara statistik antara pengetahuan tanda bahaya kehamilan dengan perilaku perawatan kehamilan pada ibu hamil trimester III (p value: 0,135; $= 0,05$). Peneliti memberikan rekomendasi kepada petugas kesehatan agar lebih memotivasi ibu hamil untuk merawat kehamilan dengan baik.

.....One of causes of high maternal mortality rate is obstetric complications which rise through obstetric danger signs. Women knowledge in recognizing danger signs can be one of the determinations of pregnancy care behavior to prevent further complications.

The aim of this study was to determine the relationship between knowledge of obstetric danger signs and pregnancy care behavior among third trimester pregnant women. This study used descriptive correlative design with cross sectional approach. Consecutive sampling used as sampling technique. Samples of this study were 96 third trimester pregnant women who attended antenatal care in Puskesmas Cimanggis and Puskesmas Sukmajaya.

This study showed that there was no statistically significant relationship between knowledge of obstetric danger signs and pregnancy care behavior among third trimester pregnant women (p value: 0,135; $= 0,05$). This study recommended health care professional to motivate pregnant women in practicing better pregnancy care.