

# **Menurunkan social withdrawal dengan intervensi social skill training pada anak usia sekolah = Social skill training (SST) to reduce social withdrawal in middle childhood**

Winny Suryania, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20365345&lokasi=lokal>

---

## **Abstrak**

Social withdrawal pada anak merupakan faktor risiko dari gangguan psikologis yang dapat berkembang dikemudian hari, misalnya kecemasan dan depresi. Anak dengan social withdrawal pada umumnya memiliki keterampilan sosial yang kurang dan perlu mempelajari cara membina hubungan yang baik dengan orang lain. Oleh karena itu, anak diberikan intervensi social skill training (SST), yang nantinya dapat berkontribusi terhadap keterampilan sosial anak secara umum dan menurunkan social withdrawal. Tesis ini memiliki desain single case dan partisipan penelitian adalah anak laki-laki berusia sepuluh tahun dengan social withdrawal. Sesi terapi dilakukan sebanyak sebelas kali selama kurang lebih 60-90 menit setiap sesinya. Tujuan dari intervensi ini untuk melihat efektifitas social skill training dalam menurunkan social withdrawal pada anak usia sekolah. Hasil dari terapi ini adalah SST efektif untuk menurunkan social withdrawal pada anak sekolah, yang terlihat dari penurunan skor pada skala social withdrawal pada Child Behavior Checklist (CBCL).

.....Social withdrawal in children is a risk factor of psychological disorder that can develop in the future, such as anxiety and depression. Children with social withdrawal generally have less social skills and need to learn how to build good relationships with others. Therefore, the child is given intervention social skills training ( SST ), which can contribute to a child's social skills in general and decrease social withdrawal. This thesis has a single-case design and study participants were boys aged ten years with social withdrawal. Therapy sessions conducted as many as eleven times for about 60-90 minutes each session. The purpose of this intervention to see the effectiveness of social skills training in reducing social withdrawal in children of school age. The results of this therapy is effective for lowering SST social withdrawal at school children, as seen from the decrease in social withdrawal scale scores on the Child Behavior Checklist (CBCL).