

Perancangan dan analisis antarmuka sistem informasi tur virtual (SITUR-LAB) pada laboratorium departemen teknik elektro Universitas Indonesia = Design and analysis interface sistem informasi virtual tour (SITUR-LAB) at laboratory department of electrical engineering University of Indonesia

Sahid Muttaqin, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20368568&lokasi=lokal>

Abstrak

Pada sebuah web, graphic user interface adalah jembatan antara manusia dan satu sistem web di dalam komputer. Graphic user interface dibuat untuk membantu manusia dalam menggunakan komputer dengan cara yang dipahami oleh manusia, tentunya menjadi sebuah hal yang penting dalam perancangan sebuah graphic user interface sebuah web agar sebuah web tersebut dapat digunakan sesuai tujuannya. Skripsi ini merancang sebuah sistem tur virtual untuk laboratorium dan menganalisa graphic user interface dengan menggunakan prinsip pada ilmu interaksi manusia dan komputer serta akan membahas lama respons time dari SITUR-LAB. Dari hasil penelitian didapatkan nilai akhir kuesioner untuk tampilan antarmuka sebesar 3,885 likert, isi sebesar 4,167 likert, dan keseluruhan sebesar 4,086 likert, serta nilai keseluruhan dari penelitian pada alat ukur kuesioner evaluasi sebesar 4,046 likert. Hasil penelitian berupa alat ukur kuesioner skala kegunaan sistem mendapatkan nilai akhir sebesar 77,125 sus score. Serta dalam pengujian stres meter dengan skenario 50 user dengan perulangan 10 kali, didapatkan waktu respons time antara 7,3 – 18,7 ms dan rata-rata selama 12,504 ms.In a web, graphic user interface is the bridge between human and the computer system. Graphic user interface designed to assist human in using a computer in a way that is understandable by humans, would be an important thing in designing a graphic user interface of a web can be a used according to its purpose. This paper design a tur virtual of laboratory and analyze graphic user interface by using the principle of the science of human computer interaction , and has discuss about response time of SITUR-LAB. From the result of research user evaluation conducted final value obtained for part 1 (user interface) is 3,885 likert, part 2 (contain) is 4,167 likert, and last part (overall) is 4,086 likert. From the result of research scale usable system conducted final value obtained 77,125 sus score. And for stress testing meter with skenario 50 users with loop 10 times, response time obtained between 7,3 to 18,7 ms and the average time 12,504 ms.