

Kerasionalan penggunaan antibiotik pada pasien penderita sindrom respons inflamasi sistemik (SIRS) di ruang perawatan intensif intensive care unit ICU Rumah Sakit Angkatan Laut Dr Mintohardjo pada tahun 2012-2013 = Rationality of antibiotic usage of systemic inflammatory response syndrome patient in intensive care unit naval Hospital Dr Mintohardjo 2012-2013

Azizah Nurrakhmani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20385601&lokasi=lokal>

Abstrak

Penggunaan antibiotik yang tidak rasional dapat menyebabkan sulitnya penanganan penyakit infeksi karena dengan meningkatnya penggunaan antibiotik yang tidak rasional, tingkat resistensi kuman terhadap antibiotik akan terus meningkat. Salah satu penyakit infeksi yang mempunyai prevalensi tinggi di Indonesia adalah SIRS, yang mencakup sepertiga dari pasien yang dirawat di ICU. SIRS (Systemic Inflammatory Response Syndrome) merupakan respons klinis terhadap rangsangan spesifik dan nonspesifik, yang disebabkan oleh faktor infeksi maupun non-infeksi. SIRS yang terjadi akibat infeksi perlu diberikan terapi antibiotik yang rasional. Penelitian ini dilakukan untuk mengetahui pola penggunaan antibiotik pada pasien SIRS di Ruang ICU RSAL Dr. Mintohardjo dan melakukan evaluasi kerasionalannya dilihat dari ketepatan pasien, ketepatan indikasi, ketepatan obat, ketepatan dosis, dan tanpa interaksi obat.

Penelitian ini merupakan studi survey yang dilakukan dengan cara pengambilan data penggunaan antibiotik dari rekam medis pada periode 2012-2013 secara retrospektif dengan desain cross-sectional dan pengambilan sampel dengan teknik total sampling. Populasi penelitian berjumlah 148 pasien dan 35 pasien diterima sebagai sampel penelitian dengan total administrasi antibiotik sebanyak 91 kali dengan rincian sebagai berikut, antibiotik tunggal sebanyak 8 kali dan kombinasi 62 kali. Antibiotik yang paling sering digunakan adalah meropenem, sedangkan antibiotik yang paling sering dikombinasi adalah meropenem+metronidazol. Penggunaan antibiotik yang memenuhi kriteria tepat pasien sebanyak 100,00%, tepat indikasi 22.86%, tepat obat 2.86%, tepat dosis 74.29% dan tanpa interaksi obat 31.43%. Hasil secara keseluruhan pemberian antibiotik empiris pada pasien penderita SIRS dinilai tidak ada yang memenuhi kriteria rasional.

The irrationality of antibiotics usage can lead to difficulty in handling infectious diseases. This occurs due to the increased of antibiotics usage that are not rational will rising the level of resistance of germs to antibiotics. One of the diseases that have a high prevalence of infection in Indonesia is SIRS, which covers one-third of the patients treated in the ICU. SIRS (Systemic Inflammatory Response Syndrome) is a clinical response to specific and nonspecific insult, which are caused by infectious or non-infectious. SIRS caused by infection should be given a rational empirical antibiotic therapy. This study was conducted to determine the pattern of antibiotic usage in patients with SIRS in ICU Naval Hospital Dr. Mintohardjo and evaluation of the accuracy of precision patient, an indication of accuracy, precision medicine, precision dosing, and no drug interactions.

The study is a survey study done by collecting data from medical records of antibiotic usage in 2012-2013 with a retrospective methods, cross-sectional design and sampling with a total sampling technique. Population of study included 148 patients and 35 patients were accepted as samples of study. The study

showed that the administration of antibiotics were given 91 times with the following details, a single antibiotic were given 8 times and the combination of antibiotic were given 62 times. The antibiotics most commonly used are meropenem, while most antibiotics are often combined meropenem + metronidazole. Patientd that giben empirical antibitocs with following criteria like right patients as much as 100.00%, 22.86% precise indications, 2.86% right drug, the right dose 74.29% and 31.43% with no drug interactions. There is no rationality in empirical antibiotics usage for patient with SIRS in Naval Hospital Dr. Mintohardjo.</i>