

Pengaruh status gizi Ibu postpartum 0 bulan terhadap status gizi bayi dan status gizi Ibu menyusui di kecamatan Cipayung Jakarta Timur Tahun 2014 = Effect of postpartum 0 month nutrition status to infant nutrition status and breastfeeding mother in Cipayung Jakarta Timur 2014/ Astri Gamanuari Zawati

Astri Gamanuari Zawati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20386618&lokasi=lokal>

Abstrak

ABSTRACT

Penelitian ini bertujuan untuk membuktikan pengaruh antara status gizi ibu postpartum 0 bulan terhadap status gizi bayi 1-4 bulan dan status gizi ibu menyusui selama 4 bulan. Desain yang digunakan adalah cohort prospektif, melibatkan 21 pasang ibu-bayi yang masih menyusui ASI predominan dengan eksposur negatif adalah ibu dengan IMT postpartum 0 bulan kurus dan eksposur positif adalah ibu dengan IMT postpartum 0 bulan normal. Pada Maret-Juni 2014 dengan metode pengambilan sampel adalah purposive sampling. Pengumpulan data dilakukan melalui pengisian kuesioner, wawancara asupan makanan 1x24 jam, pengukuran antropometri (berat badan dan tinggi badan) ibu serta bayi. Uji t-independent menunjukkan bahwa terdapat pengaruh bermakna antara status gizi ibu postpartum 0 bulan terhadap status gizi ibu menyusui selama 4 bulan. Uji korelasi menunjukkan terdapat pengaruh bermakna antara berat bayi lahir terhadap status gizi bayi menurut BB/U dan IMT/U dengan tingkat keeratan rendah.

ABSTRACT

The objective of this study is to assess the effect of postpartum 0 month nutrition status to infant nutrition status (1-4 month) and breastfeeding mother during 4 month. Design of this study is cohort prospective, which conducted on 21 pair mother-infant that still in predominant breastfed period with negative exposure is mother with lower BMI postpartum 0 month and positive exposure is mother with normal BMI postpartum 0 month. On March-June 2014 was used by purposive sampling. Data were collected through the questionnaire, 24 hours food recall, mother and infant anthropometric. Independent t-test showed that there was significant effect between postpartum 0 month nutrition status and breastfeeding mother during 4 month. Correlation test showed that there was significant effect between birth weight and infant nutrition status (weight-age and BMI-age) with low correlation level ($r=0,5$ and $r=0,4$).