

Faktor-faktor yang berhubungan dengan pemberian ASI eksklusif pada ibu bayi 7-12 bulan di Puskesmas Pembantu Sindang Sari Kota Bogor tahun 2014 = factors associated with exclusive breastfeeding for mother of infant with age 7-12 months in Sindang Sari Public Health Center Bogor City in 2014

Rina Tresnawati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20402486&lokasi=lokal>

Abstrak

Penelitian ini membahas proporsi pemberian ASI eksklusif dan faktor-faktor yang berhubungan di Puskesmas Pembantu Sindang Sari Kota Bogor tahun 2014. Menggunakan pendekatan kuantitatif, dengan desain cross-sectional. Responden adalah ibu yang mempunyai bayi berusia 7 - 12 bulan sejumlah 80 orang dengan metode pengambilan sampel secara Quota sampling. Penelitian dilakukan pada bulan Desember 2014.

Berdasarkan hasil penelitian didapatkan persentase pemberian ASI eksklusif yang masih rendah yaitu 38,8 %. Faktor predisposisi yang memiliki hubungan bermakna dengan pemberian ASI eksklusif adalah umur ($p = 0,024$), pengetahuan ($p = 0,016$), dan sikap ($p = 0,005$). Faktor pemungkinkan yang memiliki hubungan bermakna adalah inisiasi menyusui dini ($p = 0,015$). Faktor penguat ibu memiliki hubungan yang tidak bermakna dengan pemberian ASI eksklusif yakni pada dukungan suami & keluarga, serta dukungan petugas kesehatan. Hasil ini menunjukkan perlu adanya pembinaan khusus kepada ibu terkait faktor-faktor yang berhubungan dengan pemberian ASI eksklusif.

.....
This study discusses the proportion of exclusive breastfeeding and related factors in health center Sindang Sari Bogor 2014. Using a quantitative approach, with a crosssectional design. Respondents were mothers with infant aged 7-12 months some 80 people with sampling methods quota sampling. The study was conducted in December 2014.

Based on the results, the percentage of exclusive breastfeeding is still low at 38.8%. Predisposing factors that have a significant relationship with exclusive breastfeeding is the age ($p = 0.024$), knowledge ($p = 0.016$), and attitude ($p = 0.005$). Enabling factors that have a significant relationship is early initiation of breastfeeding ($p = 0.015$). Reinforcing factors mother had no significant relationship with the exclusive breastfeeding in support of her husband and family, and support health workers. These results indicate that need for specific guidance related to maternal factors associated with exclusive breastfeeding.