

Akurasi skor triss dalam memprediksi mortalitas pasien politrauma di instalasi gawat darurat Rumah Sakit Cipto Mangunkusumo tahun 2011-2014 = Accuracy of triss score in predicting mortality of polytrauma patients in emergency department of Ciptomangunkusumo Hospital 2011-2014 / Risa Dumastoro

Risa Dumastoro, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20415218&lokasi=lokal>

Abstrak

Pendahuluan: Skor TRISS menjadi salah satu alat yang paling umum digunakan mengukur keberhasilan pelayanan trauma. Saat ini belum ada data penggunaan Skor TRISS pada penanganan pasien politrauma di Instalasi Gawat Darurat (IGD) Rumah Sakit Cipto Mangunkusumo (RSCM). Penelitian ini disusun untuk mengetahui kemampuan skor TRISS memprediksi kematian pasien politrauma di IGD RSCM.

Metode Penelitian: Penelitian ini adalah penelitian kohor retrospektif. Data diambil dari rekam medis pasien politrauma tahun 2011- 2014 yang datang di IGD RSCM. Analisis dilakukan untuk mengetahui hubungan skor TRISS dengan prognosis pasien. Dilakukan analisa bivariat dan multivariat dengan menggunakan program SPSS 18.

Temuan Penelitian dan Diskusi: Terdapat 70 data pasien yang memenuhi inklusi pada pasien ini. Mayoritas pasien adalah laki-laki (65%) dan berusia muda. Terdapat 69 pasien yang mengalami trauma tumpul dengan kecelakaan lalu lintas menjadi penyebab terbanyak trauma paling banyak(94,3%). Sebanyak 26 pasien meninggal dunia dan 54 pasien survive setelah mendapat perawatan. Pada analisis bivariat dan multivariat didapatkan hubungan bermakna antara skor TRISS dengan prognosis pasien. Skor TRISS mampu memprediksi kuat mortalitas pasien politrauma (AUC = 0,899; IK95% 0,824-0,975). Skor TRISS mempunyai sensitivitas 84,6% dan spesifivitas 81,8 % dengan titik potong optimal 90,5.

Simpulan: Skor TRISS dapat memprediksi kematian pasien politrauma yang di rawat di RSCM.

.....

Introduction: TRISS score is one of the most commonly used trauma score. Currently there is no data about using TRISS score in the care of polytrauma patients at emergency department of Ciptomangunkusumo Hospital. This research is to determine whether TRISS score can predict the mortality of polytrauma patients at Ciptomangunkusumo Hospital.

Methods: It was a retrospective cohort study. Data was collected from medical records of polytrauma patients who was admitted to emergency department of Ciptomangunkusumo Hospital 2011-2014. From there, we analyze the relationship between TRISS score and patient?s prognosis. Furthermore, we conducted bivariate and multivariate analysis by SPSS 18 software.

Result and Discussion: Seventy medical records was included in this study. Majority of our patients was male (65%) in young age. There were 69 patients who experienced blunt trauma, with the majority of them (94,3%) was caused by motor vehicle accident. After receiving trauma care, there were 26 deaths, while other 54 patients survived. From bivariate and multivariate analysis, we found a significant association between TRISS score and patient?s prognosis. TRISS score strongly predicts polytrauma patient?s mortality (AUC 0,899; IK95% 0,824-0,975). TRISS score has 84,6% sensitivity and 81.8% specificity with optimal intersection point 90,5.

Conclusion: TRISS score can predict the mortality of polytrauma patients at Ciptomangunkusumo Hospital.