

Hubungan antara kondisi psikososial ibu pada masa postpartum dan kepuasan terhadap pelayanan persalinan dengan ikatan antara ibu dan bayi = Postnatal psychosocial and satisfaction with intrapartum care with mother baby bonding attachment

Dini Kurniawati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20415612&lokasi=lokal>

Abstrak

Ikatan antara ibu dan bayi memengaruhi kesejahteraan bayi dan ibu. Penelitian cross-sectional ini bertujuan untuk mengidentifikasi hubungan antara kondisi psikososial dan kepuasan terhadap pelayanan persalinan dengan ikatan ibu dan bayi. Teknik consecutive sampling dilakukan untuk memilih 246 ibu postpartum. Hasil penelitian menunjukkan bahwa sebagian besar kondisi psikososial ibu tidak berisiko (76.4%), puas terhadap pelayanan persalinan (62.6%) dan ikatan ibu dan bayi baik (73.2%). Terdapat hubungan antara kondisi psikososial dengan ikatan ibu bayi ($p=0.000$; $OR=54.765$; $95\% CI=22.987-130.475$), antara kepuasan terhadap pelayanan persalinan dengan ikatan ibu dan bayi ($p=0.000$; $OR= 6.7$; $95\% CI=3.594-12.489$). Faktor dominan yang memengaruhi ikatan adalah kondisi psikososial ($OR= 45.904$; $95\% CI=15.351-137.272$). Ikatan ibu dan bayi dapat ditingkatkan dengan melibatkan aspek psikososial ibu dalam asuhan dan memfasilitasi ibu untuk mendapatkan kepuasan terhadap pelayanan persalinan.

.....The mother and baby bonding attachment affect wellness of both. This study aimed to identify the relationship between postnatal psychosocial and the satisfaction of intrapartum care with the mother-baby bonding attachment. This cross sectional study involved 246 postpartum women selecting by consecutive sampling.

The results showed that majority of the psychosocial conditions was not at risk (76.4%), satisfied with the intrapartum care (62.6%) and the mother-baby bonding attachment was good (73.2). There were relationship between psychosocial conditions with the mother-baby bonding attachment ($p=0.000$; $OR=54.765$; $95\% CI =22.987-130.475$), satisfaction of intrapartum care with the mother-baby bonding attachment ($p=0.000$; $OR= 6.7$; $95\% CI=3.594-12.489$) and the dominant factor was psychosocial condition ($OR= 45.904$; $95\% CI=15.351-137.272$). This bonding attachment can be enhanced by involving of psychosocial aspects in care and facilitate the mothers to achieve intrapartum satisfaction.