

Dripline dalam model modified relativistic mean field (MRMF) = Dripline in modi / Jenny Primanita Diningrum

Jenny Primanita Diningrum, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20418196&lokasi=lokal>

Abstrak

[ABSTRAK

Prediksi dari posisi proton dan neutron dripline dipelajari dalam model Modi ed Relativistic Mean Field (MRMF) menggunakan tujuh buah variasi parameter set. Posisi proton dan neutron dripline diprediksi dengan menggunakan energi separasi dan energi partikel tunggal. Dalam model MRMF ini, dapat dilihat pengaruh kopling isovektor-isoskalar, tensor dan electromagnetic exchange terhadap prediksi proton dan neutron dripline. Hasil perhitungan menunjukkan bahwa prediksi proton dripline pada isoton $N = 28$ tidak dipengaruhi oleh ketiga faktor tersebut. Selain itu, proton dripline pada isoton $N = 28$ tidak memiliki korelasi yang kuat terhadap sifat bulk inti. Prediksi neutron dripline pada isotop Ca dan isotop Pb dipengaruhi oleh ketiga faktor tersebut yang ditandai dengan berbedanya prediksi pada setiap variasi parameter set. Neutron dripline pada isotop Ca memiliki korelasi yang kuat terhadap skin. Namun, pada isotop Pb tidak terlihat korelasi yang kuat terhadap skin. Pada daerah superheavy, isoton $N = 258$ memiliki hasil prediksi proton dripline yang dipengaruhi oleh ketiga faktor, terutama tensor dan electromagnetic exchange, serta memiliki korelasi yang kuat terhadap skin, jari-jari muatan, dan ketebalan permukaan.

<hr>

ABSTRACT

Study of prediction of proton and neutron dripline in Modi ed Relativistic Mean Field (MRMF) model using seven variations of parameter set. The position of proton and neutron dripline predicted use energy separation and energy single particle method. In this MRMF model, can be seen the effects of coupling isovector-isoscalar, tensors, and electromagnetic exchange on prediction of proton and neutron dripline. The result of these calculation show that prediction of proton dripline in isotone $N = 28$ not in

uenced by all these factors. Moreover, proton dripline in isotone $N = 28$ do not have a strong correlation with nucleus bulk properties. Prediction of neutron dripline in isotope Ca and isotope Pb in uenced by all these factors characterized by different predictions on each variations of parameter set. Neutron dripline at isotope Ca have a strong correlation with skin. However, at isotope Pb does not look strong correlation with skin. In the superheavy region, isotone $N = 258$ has the predicted outcome of protons which is in

uenced by all these factors, notably tensors and electromagnetic exchange and having a strong correlation with skin, charge radius, and surface thickness., Study of prediction of proton and neutron dripline in Modified Relativistic Mean Field

(MRMF) model using seven variations of parameter set. The position of proton and neutron dripline predicted use energy separation and energy single particle method. In this MRMF model, can be seen the effects of coupling isovector-isoscalar, tensors, and electromagnetic exchange on prediction of proton and neutron dripline.

The result of these calculation show that prediction of proton dripline in isotone N = 28 not influenced by all these factors. Moreover, proton dripline in isotone N = 28

do not have a strong correlation with nucleus bulk properties. Prediction of neutron dripline in isotope Ca and isotope Pb influenced by all these factors characterized

by different predictions on each variations of parameter set. Neutron dripline at isotope Ca have a strong correlation with skin. However, at isotope Pb does not look strong correlation with skin. In the superheavy region, isotone N = 258 has the predicted outcome of protons which is influenced by all these factors, notably

tensors and electromagnetic exchange and having a strong correlation with skin, charge radius, and surface thickness.]