

Pengaruh logoterapi medical ministry dan terapi komitmen penerimaan (TKP) terhadap tingkat depresi klien gagal ginjal kronis yang menjalani hemodialisa di Rumah Sakit Pelni = The influence of logo therapy medical ministry and acceptance commitment therapy on the depression level of patient with chronic kidney failure who undergoing hemodialysis in Pelni Hospital / Buntar Handayani

Buntar Handayani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20423438&lokasi=lokal>

---

Abstrak

<b>ABSTRAK</b>

Depresi adalah masalah psikologis yang banyak terjadi pada klien gagal ginjal kronis. Depresi harus mendapatkan penanganan khusus untuk menghindari gangguan jiwa yang lebih berat. Tujuan penelitian ini adalah untuk mengetahui pengaruh logoterapi medical ministry dan terapi komitmen penerimaan terhadap tingkat depresi pada klien gagal ginjal kronik. Desain penelitian yang digunakan adalah quasi eksperimen. Jumlah sampel adalah 28 orang pada kelompok intervensi dan 28 orang pada kelompok kontrol. Pengambilan sampel dengan metode consecutive sampling pada klien gagal ginjal kronik di ruang hemodialisa RS Pelni Jakarta yang mempunyai skor depresi lebih dari 10. Data dianalisis dengan wilcoxon sign rank test.

Hasil penelitian menunjukkan bahwa logoterapi medical ministry dan terapi komitmen penerimaan secara signifikan menurunkan tingkat depresi dengan nilai  $p = 0,000 (<0,05)$ . Hasil penelitian ini merekomendasikan kepada perawat generalis untuk memberikan intervensi generalis, dan khusus untuk perawat spesialis jiwa dapat memberikan logoterapi medical ministry dan terapi komitmen penerimaan untuk mencegah atau menurunkan depresi pada klien gagal ginjal kronis.

<hr><i><b>ABSTRACT</b></i>

Depression is one of the most common psychological problem occurs in patient with chronic kidney disease, and need specific treatment to prevent further mentally problems. The purpose of this study was to determine the influence of logo therapy medical ministry and acceptance commitment therapy on the depression level of patient with chronic kidney failure who undergoing hemodialysis. This is quasi experiment pre post test with control group study. Fifty six patients with chronic kidney disease, where 28 patient receive treatment (treatment group) and another 28 patient did not (control group). Those patients recruited using consecutives sampling who were diagnosed with chronic kidney disease and had level of depression more than 10. Data were analyzed with wilcoxon sign rank test.

The result shows that logo therapy medical ministry combine with acceptance commitment therapy can significantly decrease level of depression with  $p=0.000 (<0.05)$ . This study recommends that general nurse may only give nursing intervention as general nurse, where mental health nurse should give logo therapy medical ministry combine with acceptance commitment therapy, where it can prevent and decrease the level of patient?s depression.</i>