

Pola keterpaparan wilayah terhadap kekeringan di Kabupaten Kebumen, Jawa Tengah = Regional exposure pattern of drought in Kebumen Central Java Prov

Miftahul Jannah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20431071&lokasi=lokal>

Abstrak

Kekeringan merupakan bencana alam yang terjadi secara perlahan-lahan hasil dari berkurangnya curah hujan dalam jangka waktu yang lama. Bencana ini dapat berdampak sangat besar dan mencakup daerah yang luas. Mitigasi untuk menanggulangi bencana ini adalah dengan mengetahui karakteristik wilayah yang terpapar kekeringan, melalui indikator durasi, intensitas dan frekuensi kekeringan. Penilaian kekeringan menggunakan data curah hujan dari 32 stasiun hujan di Kabupaten Kebumen selama periode 1985 - 2015 menggunakan metode de Boer.

Hasil yang diperoleh dari penelitian ini menunjukkan bahwa tingkat keterpaparan kekeringan tinggi di Kabupaten Kebumen cenderung berada di wilayah bagian tengah mengarah ke timur laut kabupaten, yang meliputi 15 kecamatan, yang sebagian besar berada di Kecamatan Karangsambung, Karanggayam, Alian, Pejagoan, Sruweng dan Kebumen. Wilayah yang paling terpapar kekeringan di Kabupaten Kebumen merupakan wilayah dengan penggunaan tanah sawah irigasi 2x padi/tahun, kepadatan penduduk 500-1249 jiwa/km² dan kepadatan penduduk agraris 51-250 jiwa/km².

.....Drought is natural disaster that occurs gradually, resulted from long term declines in rainfall rate. The disaster would not be realized at first, but the impacts caused could be severe. One example of countermeasure efforts is to understand the regional characteristics of the drought exposed regions.

Indicators used to assess levels of exposure are the duration, intensity and frequency of droughts. Drought assessment used rainfall rate data from 32 rain stations in Kebumen during 1985-2015 period with de Boer method.

The results obtained from this study indicate that high level of exposures to drought in Kebumen are distributed in the center part to the northeast part of the region. The high level of exposures covered 15 districts, and concentrated in Subdistrict Karangsambung, Karanggayam, Alian, Pejagoan, Sruweng and Kebumen. In Kebumen, the region that most exposed to drought is attributed with the paddy rice fields land use that harvested 2 times a year, a population density of 500-1249 inhabitants/km² and peasant population density of 51-250 inhabitants/km²;