

Faktor-faktor yang berhubungan dengan kejadian kasus Demam Berdarah Dengue (DBD) pada saat Kejadian Luar Biasa (KLB) di tiga kecamatan Kabupaten Tangerang tahun 2016 = Factors related to occurrence of Dengue Hemorrhagic Fever (DBD) cases on outbreak in three district of Tangerang Regency 2016

Dessy Triany, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20433109&lokasi=lokal>

Abstrak

Latar belakang. Dampak perubahan iklim menyebabkan tingginya penyebaran penyakit DBD, dan semakin meningkatnya jumlah KLB DBD di beberapa wilayah kabupaten/kota di Indonesia. Pada bulan Januari 2016 terjadi KLB DBD di Kabupaten Tangerang.

Metodologi. Penelitian bertujuan untuk mengetahui faktor-faktor yang mempengaruhi kejadian DBD pada saat KLB di Kabupaten Tangerang, menggunakan desain kasus kontrol dengan analisis multivariat uji logistic regresion. Jumlah sampel 201 terdiri dari 67 kasus dan 134 kontrol. Kasus adalah penderita DBD pada saat KLB dengan konfirmasi medis yang berusia 5-44 tahun, kontrol adalah tetangga kasus yang berada pada radius 100 dari rumah kasus. Data diambil langsung kerumah kasus dan kontrol yang dilakukan pada bulan Februari sampai dengan Mei 2016.

Hasil penelitian, Kejadian DBD dipengaruhi oleh faktor umur OR: 22,87 (95% CI: 6,67-78,51), jenis kelamin 3,62 (95% CI : 1,71-7,67), kebiasaan tidur siang OR: 2,47 (95% CI:1,20-5,12), kontak dengan penderita OR: 2.22 (95% CI: 1,05-4,68) dan lingkungan rumah yang terdapat kebun/semak OR: 2,02 (95% CI: 0,99-4,14). Umur merupakan faktor dominan yang mempengaruhi kejadian DBD.

Disarankan. Masyarakat disarankan lebih waspada terhadap penyakit DBD dan kepada pemerintah agar meningkatkan promosi kesehatan tentang penyakit DBD sehingga masyarakat dapat berperan dan berpartisipasi aktif dalam upaya pengendalian penyakit DBD.

.....Background. Impact of climate change to high spread of Dengue Hemorrhagic Fever (DHF) and also increasing number of DHF outbreak in some district or city in Indonesia. Outbreak of dengue fever occurred in Tangerang regency in January 2016.

Methods. The aim of this study was to determine influence factors of DHF outbreak incidence. This study was conducted in Tangerang Regency. A case-control study design with logistic regression test of multivariate analysis. The total sample was 201, 67 cases of DHF and 134 controls. Cases were 5-44 years old DHF patients during an outbreak with medical confirmation. The control was a neighbor of cases who live in the radius of 100 meter. The study was conducted from February to May 2016 using the primary data.

Results, Incidence of dengue was influenced by age OR: 22.87 (95% CI: 6.67 to 78.51), the sex OR 3.62 (95% CI: 1.71 to 7.67), the habit of napping OR: 2.47 (95% CI: 1.20 to 5.12), contact with patients DHF OR: 2:22 (95% CI: 1.05 to 4.68) and a home environment there are gardens/shrubs OR: 2.02 (95% CI: 0.99 to 4.14) and DHF incidence. Age is the dominant factor affecting the incidence of DHF.

Suggestion. Increasing the awareness of DHF in the community. The government increased health promotion on DHF so that people can contribute and participate actively to control DHF.