

# Respon berduka pada perempuan dengan HIV positif dan faktor-faktor yang memengaruhi = Grieving response in HIV positive and its influencing factors

Rizka Ristriyani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20433549&lokasi=lokal>

---

## Abstrak

### **<b>ABSTRAK</b><br>**

Perempuan akan berduka karena terinfeksi HIV namun belum diketahui bagaimana gambaran respon berduka dan hal yang dapat memengaruhi. Oleh karena itu penelitian ini bertujuan untuk mengetahui gambaran respon berduka dan faktor (karakteristik, kondisi biopsikososial-spiritual dan stigma) yang dapat memengaruhi berduka pada perempuan HIV positif. Rancangan penelitian ini dilaksanakan dengan potong lintang dengan metode pengambilan sampel secara consecutive sampling. Jumlah sampel penelitian sebanyak 235 responden. Hasil penelitian didapatkan gambaran berduka dengan nilai tengah denial yaitu 2,25 (SD 0,75) pada rentang 2,18-2,38 , resistance yaitu 1,67 (SD 0,89) dengan rentang 1,84-2,07, sorrow yaitu 2,67 (SD 0,93) dengan rentang 2,26-2,52, dan acceptance yaitu 3 (SD 0,72) dengan rentang 2,79-2,98 pada tingkat kepercayaan 95%. Hasil penelitian menemukan keterbukaan status memengaruhi denial ( $p < 0,05$ ), resistance ( $p < 0,05$ ), dan acceptance pada perempuan HIV positif ( $p < 0,05$ ). Rekomendasi dari penelitian ini adalah respon berduka dapat menjadi bahan pertimbangan konseling kepada penderita HIV AIDS

<hr>

### **<b>ABSTRACT</b><br>**

Women will be grief because are infected by HIV, but there has not been studied about the description of the grieving response and factors that can influence it. Therefore, this study aims to describe the response of grieving and factors (characteristics, biopsychosocial-spiritual condition and the stigma) that could affect the process. The study design was cross sectional with sampling methods is consecutive sampling. Number of samples are 235 respondents. The result showed a description of grieving response with the median score for each response is denial 2.25 (SD 0.75) in the range of 2.18 to 2.38, resistance 1.67 (SD 0.89) with a range of 1.84 to 2.07, sorrow 2.67 (SD 0.93) with a range of 2.26 to 2.52, and acceptance 3 (SD 0.72) with a range of 2.79 to 2.98 at the 95% confidence level. The study found that disclosure significantly affects denial ( $p < 0.05$ ), resistance ( $p < 0.05$ ), and acceptance of HIV-positive women ( $p < 0.05$ ). Recommendations from this study is the grieving response could be considered for counseling for people living with HIV AIDS