

Asuhan keperawatan pada lansia dengan konstipasi melalui : Masase Abdomen = Nursing care of constipation in elderly through Abdominal Massage

Sartika Irsa Putri, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20434757&lokasi=lokal>

Abstrak

**ABSTRAK
**

Konstipasi merupakan salah satu masalah pada sistem pencernaan yang sering terjadi pada lansia. Faktor risiko yang menyebabkan terjadinya konstipasi pada lansia adalah faktor usia akibat proses penuaan, pola diet, aktivitas fisik, lingkungan, masalah fisik dan psikologis, serta efek medikasi. Konstipasi yang tidak diatasi berdampak pada masalah kesehatan fisik, penurunan produktivitas dan kualitas hidup lansia. Intervensi ini bertujuan untuk mengetahui efektivitas masase abdomen dengan prinsip tensegrity untuk mengatasi konstipasi pada lansia. Intervensi dilakukan selama 4 minggu melalui 12 kali intervensi dalam durasi 20 menit. Hasil intervensi masase abdomen dengan prinsip tensegrity yang dilakukan menunjukkan bahwa terjadi peningkatan frekuensi defekasi, penurunan usaha mengejan, dan penurunan ketidaknyamanan akibat distensi abdomen. Oleh karena itu, teknik masase ini dapat dilakukan oleh perawat untuk mengatasi konstipasi pada lansia dengan kombinasi intervensi lainnya seperti diet serat tinggi, peningkatan asupan cairan, dan aktivitas fisik.

<hr>

**ABSTRAK
**

Constipation is one of gastrointestinal problem that often occurs in the elderly. The risk factors that cause constipation in elderly are aging process, diet pattern, physical activity, environment, physical and psychological problem, as well as medication effect. Constipation also causes many physical problem, decrease productivity and quality of life. The aim of this study was to describe the effectiveness of massage abdomen with tensegrity principles to relieve constipation. The abdominal massage demonstrated in the duration of 20 minutes in 12 session over four week periods. The result showed that massage with tensegrity principle can increase bowel movement, decrease strains, and abdominal distention in client. Furthermore, nurses can perform this technique followed by providing high fibers diet and motivating to perform physical activity in order to relieve constipation in aged-care institution.