

Pengaruh terapi kombinasi akupunktur tanam benang dan medikamentosa terhadap kadar nitrit oksida serum pada pasien gastroesophageal refluks disease = Effect of combination catgut embedding acupuncture and drug therapy to change of nitric oxide levels serum in patients with gastroesophageal reflux disease

Ainil Masthura, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20435183&lokasi=lokal>

---

## Abstrak

Gastroesophageal reflux disease (GERD) adalah suatu kondisi kembalinya cairan lambung ke esofagus. Terapi akupunktur tanam benang telah menjadi salah satu terapi yang digunakan untuk alternatif terapi. Penelitian ini bertujuan untuk mengetahui perubahan kadar Nitrit Oksida (NO) serum setelah terapi akupunktur tanam benang dan medikamentosa. Uji acak tersamar tunggal dilakukan pada 50 responden dengan GERD yang dibagi kepada kelompok akupunktur tanam benang dan medikamentosa dibandingkan dengan kelompok akupunktur sham dan medikamentosa. Pemeriksaan kadar NO menjadi parameter yang dinilai pada saat sebelum perlakuan dan 30 hari setelah 2 kali terapi dengan durasi 15 hari sekali.

Hasil penelitian menunjukkan terjadi kenaikan kadar NO pada kelompok perlakuan dibandingkan kelompok sham namun tidak ada perbedaan bermakna antara kedua kelompok. Kesimpulan penelitian ini akupunktur tanam benang belum terbukti secara statistik mempengaruhi kadar NO pada pasien GERD.

.....OksidaGastroesophageal reflux disease (GERD ) is a condition that causes the return of gastric fluid into the esophagus. Catgut embedding acupuncture has become one of the therapies used for alternative therapies. This study aimed to determine changes in serum Nitric Oxide (NO) levels after catgut embedding acupuncture therapy and conventional medicine. Single -blind randomized trials is used on 50 respondents with GERD were divided to group catgut embedding acupuncture therapy and conventional medicine compared with sham acupuncture group and medicine. The level of NO into the parameters assessed at the time before treatment and 30 days after treatment with 2 times the duration of 15 days.

The results showed increased levels of NO in catgut embedding acupuncture therapy and conventional medicine group compared with sham acupuncture group and medicine but there was no significant difference between the two groups. The conclusion of this study catgut embedding acupuncture has not been proven statistically in influencing the levels of NO in patients with GERD.