

Efektivitas Antibakteri Ekstrak Daun Trembesi (SAMANEA SAMAN) Terhadap Methicillin-Resistant staphylococcus Aureus (MRSA)

Hiradipta Ardining, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20444122&lokasi=lokal>

Abstrak

**ABSTRAK
**

Methicillin-Resistant Staphylococcus aureus MRSA merupakan strain S aureus yang resisten terhadap antibiotik golongan beta-laktam. Antibiotik yang efektif untuk mengobati MRSA adalah vankomisin, yang bekerja dengan cara menghambat sintesis dinding sel bakteri. Namun, strain yang resisten terhadap vankomisin mulai bermunculan, sehingga dibutuhkan obat alternatif untuk melawan infeksi MRSA. Pada penelitian ini, diteliti aktivitas antibakteri ekstrak daun Samanea saman KHM dan KBM terhadap MRSA karena tanaman ini sering digunakan untuk pengobatan herbal dan sudah diteliti memiliki aktivitas antimikroba terhadap organisme tertentu. Penelitian ini menggunakan metode makrodilusi, dimana ekstrak daun Samanea saman pada konsentrasi 1280 g/mL, 640 g/mL, 320 g/mL, 160 g/mL, 80 g/mL, 40 g/mL, 20 g/mL, 10 g/mL, 5 g/mL, 2.5 g/mL, 1.25 g/mL, dan 0,625 g/mL, dicampur dengan suspensi MRSA 0,5 McFarland didalam tabung reaksi. Dari penelitian ini dapat disimpulkan bahwa ekstrak daun Samanea saman tidak memiliki KHM maupun KBM terhadap MRSA dalam rentang konsentrasi didalam percobaan ini.

<hr>

**ABSTRACT
**

Methicillin Resistant Staphylococcus aureus MRSA is one of S aureus strain which is resistant to beta lactam antibiotics. The effective antibiotic towards MRSA is vancomycin, which works by inhibiting the synthesis of bacteria s cell wall. However, vancomycin resistant strain starts to emerge, thus an alternative drug to cure MRSA infection is needed. In this research, the antibacterial activity of Samanea saman s leaf crude extract was assessed because this plant is usually used for herbal treatment and has antimicrobial activity towards several organisms. This research used macrodilution method, in which Samanea saman s leaf crude extract with concentration of 1280 g mL, 640 g mL, 320 g mL, 160 g mL, 80 g mL, 40 g mL, 20 g mL, 10 g mL, 5 g mL, 2.5 g mL, 1.25 g mL, and 0,625 g mL, were mixed with 0,5 McFarland MRSA suspension in reaction tubes. From this research, it can be inferred that Samanea saman s crude leaf extract does not have MHC and MIC toward MRSA in the concentration range of this research.