

Tempat penampungan air dan kepadatan jentik aedes sp. di daerah endemis dan bebas demam berdarah dengue

Wanti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20449823&lokasi=lokal>

Abstrak

Tingkat kepadatan jentik merupakan indikasi diketahuinya kepadatan nyamuk *Aedes sp* yang akan menularkan virus dengue sebagai penyebab penyakit demam berdarah dengue (DBD) dan juga sebagai salah satu indikator keberhasilan kegiatan pengendalian vektor. Penelitian ini bertujuan mengetahui karakteristik tempat penampungan air (TPA) dan perbedaan kepadatan jentik House Index, Container Index, Breteau Index (HI, CI, BI) di Kelurahan Alak sebagai daerah endemis dan Kelurahan Belo sebagai daerah bebas DBD di Kota Kupang Tahun 2011. Penelitian observasional analitik ini menggunakan rancangan studi potong lintang. Variabel penelitian adalah jenis, kondisi, letak, bahan TPA dan kepadatan jentik *Aedes sp*. Data dikumpulkan dengan observasi langsung pada TPA dan rumah terpilih. Data disajikan dalam bentuk tabel kemudian dianalisis dengan uji-t.

Penelitian ini menemukan TPA positif jentik paling banyak adalah TPA untuk kebutuhan sehari-hari, kondisi TPA tidak tertutup rapat, letak TPA di luar rumah, bahan TPA adalah bahan keramik, dan warna TPA adalah warna putih. Hasil penelitian menunjukkan nilai US dari HI 0,887, CI 0,146 dan BI 0,080, yang artinya tidak ada perbedaan kepadatan jentik antara Kelurahan Alak (daerah endemis) dengan Kelurahan Belo (daerah bebas).

Disimpulkan tidak ada perbedaan kepadatan jentik (HI, CI, dan BI) antara daerah endemis dan daerah bebas DBD. Kedua daerah sama-sama memiliki tingkat kepadatan jentik yang tinggi, sehingga disarankan pemberantasan sarang nyamuk tidak hanya diprioritaskan pada daerah endemis DBD tetapi juga daerah daerah bebas DBD.

<hr><i>The larva density is an indication of the density of *Aedes sp* known to be capable of transmitting the dengue virus as the cause of dengue haemorrhagic fever (DHF) and also as one of the indicators of the success of vector control activities. This study aimed to determine the difference of the water container characteristics and the larvae density (HI, CI, BI) in Alak village as an endemic area and in Belo Village as a free area of dengue in Kupang Municipality. This analytic observational study using cross sectional study design. Observed variables were the type, the condition, the location, the material of water container and also the larvae density. Data collected by direct observation in water container and house. Data presented in tables were analyzed by t-test.

This study found positive larvae at most container is for everyday need, on not sealed condition, in outside the home, and in a ceramic material. The study also found the US value of HI is 0.887, CI is 0.146 and BI is 0.080. It means that larvae density between Alak and Belo Village is not different.

The conclusion is that there is no difference in the larvae density (HI, CI, and BI) between endemic area and

free area of DHF. The two regions have the same high level of larvae density, so it is advisable that mosquito eradication is not only priority in endemic areas but also in dengue-free areas.</i>