

Efek penyakit kronis terhadap gangguan mental emosional./ Giri Widakdo, Besral Besral

Giri Widakdo, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20450366&lokasi=lokal>

Abstrak

Hasil Riset Kesehatan Dasar tahun 2007 menunjukkan 11,6% penduduk

Indonesia berumur 15 tahun ke atas mengalami gangguan mental emosional.

Penelitian ini bertujuan untuk mengetahui efek penyakit kronis terhadap

gangguan mental emosional. Desain penelitian ini adalah potong lintang

menggunakan data Riskesdas tahun 2007. Sebanyak 660.452 responden

berusia di atas 15 tahun yang tidak mengalami gangguan jiwa dijadikan

sampel. Gangguan mental emosional dinyatakan ada jika responden mempunyai paling tidak enam dari 20 gangguan. Penyakit kronis seperti tuberculosis (TB) paru, hepatitis, jantung, diabetes, kanker, dan stroke diukur

melalui wawancara yang didasarkan pada diagnosis petugas kesehatan.

Hasil penelitian menunjukkan bahwa dari sepuluh penderita penyakit kronis,

dua sampai lima penderita akan mengalami gangguan mental emosional.

Analisis regresi logistik multivariat memperlihatkan bahwa risiko gangguan

mental emosional semakin tinggi bersamaan dengan semakin banyak jumlah penyakit kronis yang diderita oleh responden. Responden yang

menderita satu penyakit kronis berisiko 2,6 kali lebih besar untuk mengalami gangguan mental emosional, yang menderita dua penyakit kronis

berisiko 4,6 kali, yang menderita tiga penyakit kronis atau lebih berisiko 11

kali. Kementerian Kesehatan disarankan untuk mengembangkan standar

pelayanan penyakit kronis terkait dengan pengurangan dampak pada gangguan mental emosional dan dibentuknya tim bimbingan teknis pelayanan penyakit kronis.

Basic Health Research (Riskedas) year 2007 showed that 11.6 percent of

Indonesia's population aged 15 years and above suffering from mental emotional disorder. This study aimed to examine the effects of chronic illness to

the mental emotional disorders. A cross-sectional study was performed that

used Riskedas 2007 data. A total of 660,452 respondents aged 15 years

and over who are mentally health become sample of this study. Mental

Efek Penyakit Kronis terhadap Gangguan Mental

Emosional

Effects of Chronic Illness to the Mental Emotional Disorders

Giri Widakdo* Besral**

*Fakultas Kedokteran dan Kesehatan Universitas Muhammadiyah Jakarta, **Departemen Biostatistika dan Ilmu

Kependudukan Fakultas Kesehatan Masyarakat Universitas Indonesia

emotional disorders exist if they have at least six of the 20 disorder. Chronic

diseases such as pulmonary tuberculosis, hepatitis, heart disease, diabetes, cancer, and stroke were measured based on diagnosis by health professional. The results showed that out of ten respondents with chronic

illness, approximately two to five will suffering from mental emotional disorder. Multivariat logistic regression analysis shows that the risk of developing

mental emotional disorders higher as more number of chronic illnesses suffered

by the respondent. Respondents suffering from one chronic disease were 2.6

times greater risk for emotional mental disorder, suffering from two chronic disease have risk 4.6 times, which had three or more chronic disease risk have risk

11 times. It is suggested that the Ministry of Health to develop a standard of

care of chronic diseases associated with reducing impact on the mental

emotional disorders and establishment of teams for technical guidance

chronic disease care.