

# Faktor risiko yang berhubungan dengan kejadian campak pada kejadian luar biasa campak di Desa Cigudeg dan Ciampea Kabupaten Bogor tahun 2016 = Risk factors associated with measles at measles outbreak in Villages Cigudeg and Cimpea Bogor District 2016

Selpi Pratiwi, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20456044&lokasi=lokal>

---

## Abstrak

Campak adalah salah satu penyebab utama kematian di kalangan anak-anak meskipun vaksin yang aman dan hemat biaya tersedia. Pada tahun 2015, ada 134 200 kematian akibat campak global dan sekitar 367 kematian setiap hari atau 15 kematian setiap jam. Vaksinasi Campak mengakibatkan penurunan 79 kematian akibat campak antara tahun 2000 sampai dengan 2015 di seluruh dunia. Meskipun sudah mencapai target lebih dari 90 cakupan imunisasi campak di wilayah desa Cigudeg dan Ciampea namun masih ada kejadian luar biasa campak di Desa tersebut pada tahun 2016. Penelitian ini bertujuan untuk mengetahui faktor risiko yang berhubungan dengan kejadian campak pada kejadian luar biasa campak di desa Cigudeg dan Ciampea Kabupaten Bogor tahun 2016. Desain penelitian menggunakan studi kasus kontrol dengan perbandingan 1:3 menghasilkan sampel terdiri dari 36 kasus dan 108 kontrol dengan kekuatan uji 80 memiliki derajat kepercayaan 95.

Hasil analisis dengan menggunakan regresi logistik di dapatkan bahwa faktor risiko yang berhubungan dengan kejadian campak pada kejadian luar biasa campak di Desa Cigudeg dan Ciampea Kabupaten Bogor tahun 2016 secara signifikan adalah imunisasi OR= 3,44; 95 CI : 1,09 – 10,65; Nilai P= 0,034 , luas ventilasi udara OR=4,7; 95 CI: 1,47 – 15,39: Nilai P= 0,009 dan riwayat kontak OR= 28,6; 95 CI 9,06 – 90,42; Nilai P=0,000 . Cakupan imunisasi campak di desa Cigudeg dan Ciampea sudah mencapai lebih dari 90 , namun belum bisa menjadikan desa tersebut memiliki kekebalan kelompok terhadap campak, sehingga perlu adanya kajian atau penelitian lanjutan terhadap hal tersebut.

.....Measles is one of the leading causes of death among children although safe and cost effective vaccines are available. By 2015, there are 134 200 deaths from global measles and about 367 deaths every day or 15 deaths every hour. Measles Vaccination resulted in a 79 reduction in measles deaths between 2000 and 2015 worldwide. Despite reaching the target of more than 90 coverage of measles immunization in Cigudeg and Ciampea villages, there is still an extraordinary incidence of measles in these two villages by 2016. This study aims to determine the risk factors associated with measles incidence in the extraordinary incidence of measles in villages of Cigudeg and Ciampea Bogor Regency in 2016. The study design using case control study with a ratio of 1 3 resulted in a sample consisting of 36 cases and 108 controls with a strength of 80 test having 95 confidence degree.

The result of the analysis by using logistic regression was found that the risk factors associated with measles incidence in measles outbreaks in Villages Cigudeg and Ciampea Bogor Regency in 2016 were significantly immunized OR 3.44 95 CI 1.09 P 0,034 , air ventilation area OR 4,7 95 CI 1.47 15.39 P value 0.009 and contact history OR 28.6 95 CI 9.06 90.42 P value 0.000 . Measles immunization coverage in villages Cigudeg and Ciampea has reached more than 90 , but not yet able to make the village has a group immunity against measles, so the need for further studies or research on it.