

Perubahan wilayah risiko penularan penyakit malaria dan kasus malaria di Provinsi (NTB) tahun 2005-2015 = The changes in risk region of malaria transmission and malaria disease in West Nusa Tenggara Province 2005-2015

Hana Zahira Syarif, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20457046&lokasi=lokal>

Abstrak

ABSTRAK

Malaria merupakan penyakit infeksi yang disebabkan oleh parasit Plasmodium yang hidup dan berkembang biak dalam sel darah manusia, ditularkan oleh nyamuk Anopheles betina. Malaria merupakan penyakit menular yang mengancam daerah tropis dan subtropis, penyakit ini mematikan lebih dari satu juta manusia setiap tahunnya. Berdasarkan hasil riset Kementerian Kesehatan RI tahun 2016 menunjukkan bahwa kasus malaria terkonsentrasi pada wilayah Indonesia bagian timur. Provinsi Nusa Tenggara Barat NTB merupakan salah satu target wilayah eliminasi yang bersih dari malaria pada tahun 2020 Depkes, 2010 . Penelitian ini bertujuan untuk menganalisis perubahan wilayah risiko penularan penyakit malaria dan kasus malaria di Provinsi NTB tahun 2005 – 2015, serta hubungan perubahan wilayah risiko penularan penyakit malaria dan kasus malaria di Provinsi NTB tahun 2005 – 2015. Adapun risiko penularan malaria dapat dikaji dengan melakukan perhitungan Malaria Vulnerability Index MLI . MLI tersebut merupakan suatu metode untuk menghitung tingkat risiko penularan malaria berdasarkan nilai bahaya dan kerentanan. MLI tersebut akan di korelasikan dengan kasus malaria guna mengetahui hubungan perubahan wilayah risiko penularan penyakit malaria dan kasus malaria di Provinsi Nusa Tenggara Barat NTB . Hasil menunjukkan adanya perubahan wilayah risiko penularan penyakit malaria dan kasus malaria sejak tahun 2005 – 2015. Adapun berdasarkan analisis spasial dan uji statistik dengan menggunakan perhitungan Chi-Square diketahui bahwa tidak ada hubungan antara perubahan wilayah risiko penularan penyakit malaria dan kasus malaria di Provinsi NTB.

<hr>

ABSTRACT

Malaria is an infectious disease caused by plasmodium parasites that live and multiply in human blood cells, transmitted by female Anopheles mosquitoes. Malaria is an infectious disease that threatens the tropics and subtropics, this disease kills more than one million people every year. Based on the research from the Ministry of Health in 2016 shows that the case of malaria is concentrated in the eastern part of Indonesia. West Nusa Tenggara Province NTB is one of the target areas of malaria elimination in 2020 MOH, 2010 . This study aims to analyze the changes in the risk region of malaria transmission and malaria cases in the West Nusa Tenggara Province in 2005 – 2015, as well as the relationship of changes in the risk of transmission of malaria and malaria cases in the West Nusa Tenggara Province in 2005 – 2015. The risk of malaria transmission can be assessed by calculation Malaria Vulnerability Index MLI . MLI is a method to calculate the risk level of malaria transmission based on hazard and vulnerability values. MLI will be correlated with malaria case to know the relation of change in risk region of malaria transmission and malaria case in West Nusa Tenggara Province NTB . The results show that there are changes in the risk of malaria transmission and malaria cases from 2005 to 2015. Based on spatial analysis and statistical test

using Chi Square calculation it is known that there is no correlation between the change of risk region of malaria transmission and malaria cases in NTB Province.