

Faktor-faktor yang berhubungan dengan penularan HIV/AIDS pada anak di RSUP Fatmawati tahun 2017 = Factors associated with HIV/AIDS transmission in children at Fatmawati General Hospital 2017

Noor Farida, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20459071&lokasi=lokal>

Abstrak

Penyakit HIV/AIDS yang merupakan salah satu dari 10 penyakit terbesar didunia yang memiliki angka mortalitas dan morbiditas tinggi. Pada tahun 2016 menurut Infodatin AIDS bahwa DKI Jakarta adalah yang tertinggi untuk penderita HIV. Salah satu cara penularannya adalah penularan secara vertikal dari ibu ke anak, saat kehamilan, persalinan dan menyusui. Penelitian ini ingin mengetahui apakah faktor sosidemografi ibu, faktor Ibu, faktor obstetri dan faktor anak berhubungan dengan penularan HIV/AIDS pada anak.

Penelitian ini dilakukan pada bulan Mei sampai dengan bulan Juli 2017 di RSUP Fatmawati. Pada penelitian ini menggunakan desain kasus kontrol dengan sample anak usia 2-5 tahun, sebesar 33 anak sebagai kasus (anak dengan HIV positif) dan 33 anak sebagai kontrol (anak dengan HIV negatif) dari ibu yang menderita HIV positif.

Dari hasil analisis dengan menggunakan SPSS 20.0 didapatkan bahwa untuk variabel yang dinyatakan adanya hubungan adalah faktor sosioekonomi (OR=4,7; CI=1,45-15,07), stadium klinis HIV (OR=26,7; CI=3,25-218,86), jumlah CD4 ibu (OR=19,3; CI=5,29-70,66), lama ibu minum ARV(OR=7,4; CI=1,87-29,84), cara persalinan (OR=6,7; CI=1,35-33,75) dan prematuritas anak saat kelahiran (OR=16,5; CI=3,37-80,31). Sedangkan variabel yang tidak ada hubungan adalah dari faktor sosiodemografi yaitu usia, pendidikan , pekerjaan dan paritas ibu menunjukkan tidak adanya hubungan dengan penularan HIV/AIDS pada anak.

<hr><i>HIV / AIDS disease is one of the top 10 diseases in the world that have high mortality and morbidity. In 2016 according to Infodatin AIDS that DKI Jakarta is the highest for people with HIV. One way of transmission is vertical transmission from mother to child, during pregnancy, delivery and breastfeeding. This research wanted to know whether mother's sosidemografi factor, mother factor, obstetric factor and child factor related to HIV / AIDS transmission in child.</i>

This research was conducted from May until July 2017 at Fatmawati General Hospital. In this study used a control case design with a sample of 2-5 year olds, 33 children as a case (HIV positive children) and 33 children as control (HIV negative children) from HIV positive mothers.

From the result of the analysis by using SPSS 20.0 it is found that for the variable which stated the existence of the relation is socioeconomic factor (OR = 4,7; CI = 1,45-15,07), clinical stage HIV (OR = 26,7; CI = 3, 25-218,86), mother's CD4 cell count (OR = 19.3, CI = 5.29-70.66), duration of mother taking ARV (OR = 7,4; CI = 1.87-29,84), (OR = 6,7; CI = 1.35-33,75) and prematurity of the child at birth (OR = 16.5; CI = 3.37-80,31). While the variables that have no correlation are from sosiodemografi factor that is age, education, work and parity of mother showed no relation with HIV / AIDS transmission in child.</i>