

Asuhan keperawatan psikososial ansietas pada Ny. R dengan diabetes mellitus tipe 2 = Psychosocial nursing care anxiety on Mrs. R with diabetes mellitus type 2

Sumiati Malasari, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20459752&lokasi=lokal>

Abstrak

**ABSTRAK
**

Perubahan gaya hidup masyarakat perkotaan seperti cenderung mengkonsumsi makanan cepat saji dan kurangnya aktivitas berkontribusi akan terjadinya diabetes mellitus DM . Diabetes mellitus merupakan penyakit kronis progresif yang ditandai dengan ketidakmampuan tubuh dalam metabolisme karbohidrat, lemak dan protein sehingga dapat terjadi hiperglikemia. Dampak yang ditimbulkan bukan hanya masalah fisik saja, namun masalah psikososial yaitu ansietas. Ansietas adalah perasaan khawatir terhadap sesuatu yang tidak jelas objeknya disertai dengan respon otonom. Asuhan keperawatan yang telah dilakukan pada Ny. R untuk mengatasi ansietas yaitu memberikan pendidikan kesehatan tentang ansietas, melakukan teknik rileksasi napas dalam, teknik distraksi, teknik hipnotis 5 jari dan kegiatan spiritual. Berdasarkan intervensi yang telah dilakukan menunjukkan penurunan tingkat ansietas dari score 26 menjadi 10 dalam kurun waktu 4 hari perawatan. Rekomendasi untuk perawat adalah mengintegrasikan dan membudayakan antara masalah fisik dan psikososial serta diharapkan meluangkan waktu untuk melakukan intervensi keperawatan terkait masalah psikososial ansietas khususnya pada pasien DM.

<hr />

**ABSTRACT
**

Changes in urban lifestyles such as consume fast food and lack of activity contribute to the occurrence of diabetes mellitus DM . Diabetes mellitus is a progressive chronic disease characterized by the body's inability to metabolize carbohydrates, fats and proteins that caused hyperglycemia. The impact is not just a physical problem, but an anxiety psychosocial problem. Anxiety is a feeling of worry for something that is not clear objects accompanied by an autonomous response. Nursing care has been done on Mrs. R to overcome anxiety by providing health education about anxiety, doing deep breathing technique, distraction technique, 5 finger hypnotic technique and spiritual activity. The result of intervention that has been done shows Mrs. R anxiety level has decreased from score 26 to 10 within 4 days of treatment.

Recommendations for nurses to integrate between physical and psychosocial problems and is expected to take time to conduct nursing interventions related to psychosocial problems anxiety especially in patients with diabetes mellitus