

# Asuhan keperawatan pada pasien diabetes mellitus tipe 2 dengan ketidakberdayaan di rumah sakit Dr. H. Marzoeki Mahdi Bogor = Nursing care on diabetes mellitus type 2 patients with powerlessness at Dr. H Marzoeki Mahdi Hospital Bogor

Muhammad Dwi Anggara, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20459766&lokasi=lokal>

---

## Abstrak

Diabetes mellitus merupakan kelainan yang ditandai oleh kenaikan kadar glukosa dalam darah. Tingginya kadar glukosa dapat menyebabkan proses penyembuhan luka menjadi lama. Selain dari itu, penderita diabetes pun dapat mengalami masalah psikososial akibat dari berbagai gangguan fisik yang dialaminya. Masalah psikososial yang sering terjadi yaitu, ketidakberdayaan. Ketidakberdayaan merupakan salah satu masalah dalam kesehatan jiwa yang ada di masyarakat, seseorang merasa kurangnya pengendalian terhadap situasi, termasuk persepsi bahwa tindakan yang dilakukan tidak akan mempengaruhi hasil.

Tujuan penulisan ini untuk menggambarkan hasil analisis asuhan keperawatan pada klien diabetes mellitus tipe 2 dengan ketidakberdayaan. Metode yang dilakukan pada penulisan ini yaitu studi kasus. Intervensi keperawatan pada klien dengan ketidakberdayaan yaitu, latihan afirmasi positif. Teknik afirmasi positif ini terbukti dapat menurunkan tanda dan gejala ketidakberdayaan secara efektif pada pasien diabetes mellitus tipe 2.

<hr /><i>Diabetes mellitus is a disorder characterized by an increase in blood glucose levels. High blood glucose levels can cause the wound healing process to be long. In addition, diabetics can also experience psychosocial problems resulting from various physical disturbances experienced. Psychosocial problems are often the case, powerlessness. Powerlessness is one of the problems in mental health that exist in society, one feels lack of control over the situation includes the perception that one's actions do not significantly affect the outcome.</i>

The purpose of this paper is to describe the results of analysis of nursing care on the client diabetes mellitus type 2 with powerlessness. The method used in this paper is case study. Nursing interventions on clients with powerlessness are positive affirmation exercises. This positive affirmation technique has been shown to reduce the signs and symptoms of helplessness effectively in patients with diabetes mellitus type 2.</i>