

Optimalisasi asuhan keperawatan pada pasien anak dengan ketidakseimbangan nutrisi melalui pendekatan model konservasi Levine = Optimization of nursing care in pediatric patients with nutritional imbalances using Levine's conservation model

Nur Eni Lestari, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20460562&lokasi=lokal>

Abstrak

Ketidakseimbangan nutrisi dan penyakit infeksi merupakan faktor yang saling mempengaruhi. Ketidakseimbangan nutrisi akan menyebabkan penyakit infeksi, sebaliknya penyakit infeksi juga akan menyebabkan anak mengalami ketidakseimbangan nutrisi. Karya ilmiah akhir ini bertujuan untuk memberikan gambaran asuhan keperawatan pada anak yang mengalami ketidakseimbangan nutrisi melalui pendekatan model konservasi Levine serta mengetahui gambaran skrining malnutrisi menggunakan Paediatric Yorkhill Malnutrition Score PYMS.

Model konservasi Levine diaplikasikan pada lima kasus kelolaan. Intervensi yang diberikan berdasarkan prinsip konservasi Levine untuk mengatasi masalah yang ditemukan. Hasil evaluasi akhir perawatan dari tropichognosis ketidakseimbangan nutrisi pada kelima kasus menunjukkan masalah dapat teratasi. Metode Evidence Based Nursing Practice menggunakan pendekatan PICO. Hasil skrining PYMS menggambarkan nilai sensitivitas dan spesifisitas lebih tinggi yaitu 95,7 dan 66,7. PYMS dapat disarankan untuk digunakan dalam melakukan skrining anak dengan ketidakseimbangan nutrisi.

.....

Nutrition imbalances and infectious diseases are mutually influencing factors. Nutritional imbalances will lead to infectious diseases, otherwise infectious diseases will also cause the child to experience nutritional imbalances. This final study was to provide an illustration of nursing care in children with nutritional imbalances through the Levine conservation model approach and know the malnutrition screening using Paediatric Yorkhill Malnutrition Score PYMS.

Levine's conservation model was applied to five cases of management. Interventions are given based on Levine's conservation principles to address the problems found. The final evaluation result of treatment of tropichognosis nutritional imbalances in the five cases indicates the problem can be resolved. The Evidence Based Nursing Practice method used the PICO approach. PYMS screening results illustrated a higher sensitivity and specificity of 95.7 and 66.7. PYMS may be recommended for use in screening children with nutritional imbalances.