

Analisis praktik residensi keperawatan medikal bedah pada pasien gagal ginjal terminal dengan riwayat diabetes melitus menggunakan pendekatan teori self care orem di RSUP Fatmawati = Analysis of residency medical surgical nursing practice in end stage renal disease patients with history of diabetes mellitus using orems self care approach at RSUP Fatmawati

Ria Desnita, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20460595&lokasi=lokal>

Abstrak

ABSTRAK
Karya ilmiah akhir KIA merupakan analisis laporan praktik residensi keperawatan medikal bedah yang terdiri dari pengelolaan kasus gangguan sistem perkemihan dengan pendekatan teori Self Care Orem, penerapan evidence based nursing berupa pemijatan pada titik LI-4 untuk mengurangi nyeri kanulasi arteriovenous AV fistula dan melakukan proyek inovasi kelompok berupa tentang seminar sosialisasi konseling dan konselor keperawatan pada pasien gagal ginjal terminal. Pendekatan teori Self Care Orem meyakini bahwa perawatan diri pasien merupakan sesuatu yang dapat dipelajari dengan melibatkan kemampuan yang ada pasien sesuai kondisi penyakitnya. Pemijatan pada titik LI-4 efektif dalam mengurangi nyeri kanulasi AV-fistula pada pasien hemodialisis, mudah diaplikasikan dan tanpa efek samping sehingga dapat diaplikasikan perawat sebagai intervensi manajemen nyeri non farmakologis untuk mengurangi nyeri kanulasi AV-fistula. Seminar sosialisasi tentang konseling dan konselor keperawatan dapat meningkatkan pengetahuan dan motivasi dari perawat untuk mengembangkan diri dalam memberikan konseling kepada pasien gagal ginjal terminal.

ABSTRACT

This final paper is an analysis report of residency medical surgical nursing practice consisting of case management of urinary system disorder with Orem Self Care approach, application of evidence based nursing using massage at LI 4 point to reduce pain in AV fistula cannulation, innovation projects on seminars about socialization of counseling and nursing counselors in end stage renal disease patients. The Orem self care approach believes that self care is something that can be learned by involving the patients existing abilities based on his illness. Massage at LI 4 point is effective to reduce pain of AV fistula cannulation in hemodialysis patients, easy to apply and without side effects, so it can applied by nurses as nonpharmacologic pain management interventions to reduce pain in AV fistula cannulation. Seminars about counseling and nursing counselors can improve the knowledge and motivation of nurses to provide a counseling to end stage renal disease patients.