

Pengaruh Chlorhexidine Gluconate 0,2% Terhadap Perubahan Warna Semen Ionomer Kaca yang Dilapisi Coating Agent = Effect of Chlorhexidine Gluconate 0,2% to Discoloration of Glass Ionomer Cement Coated by Coating Agent

Hanny Adiba Fajrin, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20466696&lokasi=lokal>

Abstrak

Penelitian ini bertujuan untuk menganalisis pengaruh chlorhexidine gluconate 0,2 yang tidak mengandung alkohol terhadap perubahan warna Semen Ionomer Kaca yang dilapisi coating agent. Spesimen Semen Ionomer Kaca Konvensional dan Semen Ionomer Kaca Modifikasi Resin dilapisi varnish dan nanofilled coating agent masing-masing kelompok berjumlah 10 buah. Spesimen yang telah dilapisi coating agent direndam dalam aquades selama 24 jam pada inkubator bersuhu 37°C. Spesimen dikeluarkan dari inkubator dan direndam dalam chlorhexidine gluconate 0,2 yang tidak mengandung alkohol selama 2 menit setiap hari. Spesimen direndam kembali pada aquades dan diletakkan pada inkubator. Proses ini diulang selama dua minggu. Nilai perubahan warna dihitung setelah perendaman dalam chlorhexidine gluconate 0,2 yang tidak mengandung alkohol pada hari ke-3, ke-7, dan ke-14. Hasil menunjukkan bahwa terdapat perbedaan bermakna pada setiap kelompok yang dilakukan pada hari ke-3, ke-7, dan ke-14 $p < 0,05$ serta perbedaan yang bermakna p .

This study aims to analyze the effect of chlorhexidine gluconate 0,2 which does not contain alcohol to discoloration of Glass Ionomer Cement coated by coating agent. Glass Ionomer Cement and Resin Modified Glass Ionomer Cements coated by varnish and nanofilled coating agent and 10 specimens each group. Specimens coated by coating agents were incubated in aquades for 24 hours at 37°C. Specimens removed from the incubator and immersed in chlorhexidine gluconate 0,2 which does not contain alcohol once a day for two minutes. Spesimens then were immersed again in aquades and incubated. This process repeated for two weeks. Color measurements were made on day 3, 7, and 14 after the specimen immersed in chlorhexidine gluconate. The result showed that there were significant differences between day 3, 7, and 14 $p < 0,05$ on day 3 and 7, and significant differences to Resin Modified Glass Ionomer Cements coated by varnish and nanofilled coating agent.