

# Pengaruh self-hypnosis terhadap ketidaknyamanan kehamilan pada ibu hamil trimester III = Effect of self-hypnosis to pregnancy discomfort in third trimester

Riadinni Alita, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20467387&lokasi=lokal>

---

## Abstrak

<b>ABSTRAK</b><br> Angka Kematian Ibu AKI dan komplikasi merupakan permasalahan dimasa perinatal yang disebabkan kondisi ibu hamil maladaptif selama kehamilan. Diperlukan terapi selama trimester III untuk meningkatkan kenyamanan kehamilan. Tujuan riset ini untuk menguji pengaruh self hypnosis terhadap penurunan ketidaknyamanan kehamilan pada ibu hamil trimester III. Penelitian ini merupakan randomized clinical trial dengan penentuan kelompok intervensi dan kontrol menggunakan randomisasi blok. Sampel penelitian berjumlah 66 responden, terdiri dari 33 responden sebagai kelompok intervensi yang diberikan self hypnosis selama dua minggu dan 33 responden sebagai kelompok kontrol. Instrumen yang digunakan yaitu kuesioner Maternal Physical Discomfort Scale MPDS dan Prenatal Self-Evaluation Questionnaire PSEQ-II . Hasil penelitian menunjukkan penurunan rerata ketidaknyamanan kehamilan setelah self hypnosis pada kelompok intervensi  $p=0,001$ ;  $?=0,05$  . Penelitian ini merekomendasikan instrumen MPDS untuk mengukur ketidaknyamanan kehamilan dan self hypnosis dapat dikombinasikan dengan intervensi lain yang meningkatkan kenyamanan selama kehamilan<hr />Maternal death and complication are problems during perinatal period caused by women's maladaptive conditions during pregnancy. Treatment is required during third trimester to increase pregnancy comfort. This research aimed to assess self hypnosis to decrease discomfort during third trimester. This randomized control trial applied randomization block for differentiating both treatment and control groups. Total sample were 66 respondents, which involved 33 treatment group who received self hypnotherapy in two weeks and 33 respondents as the control group. Instrument utilised were Maternal Physical Discomfort Scale MPDS and Prenatal Self Evaluation Questioner PSEQ II Indonesian Version. There is a decrease of pregnancy discomfort after self hypnosis intervention  $p < 0,001$ ,  $?=0,05$  . This finding recommends utilisation of MPDS Indonesian Version for to assess pregnancy discomfort and propose self hypnosis which combined with other interventions to increase comfort during pregnancy.