

Uji kesahihan eksternal terhadap kuesioner gastroesophageal reflux disease quality of life berbahasa Indonesia untuk menilai kualitas hidup pasien gerd di poli ilmu penyakit dalam RSUD Tebet = External validity test of indonesian version of gastroesophageal reflux disease quality of life questionnaire to evaluate quality of life among gerd patients in internal medicine clinic at Tebet District Public Hospital

Anak Agung Arie Widyastuti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20468490&lokasi=lokal>

Abstrak

LATAR BELAKANG: Kualitas hidup telah menjadi salah satu komponen utama dalam penanganan Gastroesophageal Reflux Disease GERD . Penelitian ini bertujuan untuk menilai kesahihan eksternal kuesioner GERD-QOL berbahasa Indonesia.**METODE:**.. Penelitian ini merupakan penelitian potong lintang dengan subyek penelitiannya adalah pasien yang mengalami gejala GERD dan berusia 18 tahun atau lebih yang berobat ke Rumah Sakit Umum Kecamatan RSUD Tebet. Total skor GERD-Q minimal adalah 8. Pasien kemudian diminta mengisi kuesioner GERD-QOL berbahasa Indonesia dan kuesioner SF-36. Kuesioner Short Form SF-36 digunakan sebagai baku emas kuesioner penilaian kualitas hidup. Uji kesahihan dilakukan dengan menggunakan kesahihan eksternal. Uji statistik yang digunakan adalah koefisien korelasi Spearman.**HASIL:** Penelitian ini melibatkan 91 subyek.Korelasi domain physical functioning : 0,488; role physical : 0,590; bodily pain : 0,474; general health : 0,482; vitality : 0,549; social functioning : 0,700; role emotional : 0,555; mental health : 0,373. Kuesioner GERD-QOL berbahasa Indonesia memiliki kesahihan eksternal yang baik ketika dilakukan korelasi dengan domain pada kuesioner SF-36 koefisien korelasi : 0,373-0,700, P

.....Quality of life has become major concern in the management of Gastroesophageal Reflux Disease GERD . The aim of this study was to determine the external validity of the Indonesian Version of Gastroesophageal Reflux Disease Quality of Life GERD QOL questionnaire. **METHODS** This cross sectional study consisted of subjects who developed symptoms of GERD and aged 18 years or more. The subjects were recruited from district public hospital in Tebet. Total score for GERD Q was at least 8. These patients were invited to complete the Indonesian version of GERD QOL and validated Indonesian Short Form 36 SF 36 . External validity was then evaluated using Spearman rsquo s correlation coefficient.**RESULT** A total of 91 subjects completed the questionnaires. The coeeficient correlation of domain physical functioning 0,488 role physical 0,590 bodily pain 0,474 general health 0,482 vitality 0,549 social functioning 0,700 role emotional 0,555 mental health 0,373. The Indonesian version of GERD QOL questionnaire was externally valid compared to domain of SF 36 questionnaire correlation coefficient 0.373 0.700, P