

# Prediktor perbaikan fungsi ventrikel kanan pada pasien penyakit katup mitral yang mengalami disfungsi ventrikel kanan pasca pembedahan katup = Predictors of right ventricle function improvement in patients with right ventricle dysfunction after mitral valve surgery

Saragih, Wendy Marmalata, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20468557&lokasi=lokal>

---

## Abstrak

**Latar Belakang:** Pasien yang menjalani bedah katup mitral cenderung mengalami penurunan fungsi ventrikel kanan Vka pasca pembedahan katup. Disfungsi Vka pasca pembedahan katup dapat menetap ataupun mengalami perbaikan di kemudian hari. Banyak faktor yang dapat mempengaruhi perbaikan fungsi Vka pasca operasi. Namun, belum ada studi yang menilai faktor-faktor yang dapat menjadi prediktor perbaikan fungsi Vka pasca operasi katup mitral dalam suatu studi multivariat.

**Tujuan:** Mengidentifikasi faktor-faktor apa saja yang dapat menjadi prediktor perbaikan fungsi Vka pada pasien dengan penyakit katup mitral yang mengalami disfungsi Vka segera setelah pembedahan katup mitral.

**Metode:** Penelitian ini merupakan studi kohort retrospektif yang dilakukan di Rumah Sakit Jantung dan Pembuluh Darah Harapan Kita RSJPDHK . Subjek penelitian adalah pasien yang menjalani operasi katup mitral di RSJPDHK sejak Januari 2016 sampai dengan Februari 2017. Data yang diambil yakni karakteristik dasar, data operasi, data obat-obatan pasca operasi, pemeriksaan ekokardiografi sebelum, segera sebelum lepas rawat, dan enam bulan pasca operasi.

**Hasil penelitian:** Sebanyak 100 subjek yang dinilai pada penelitian ini. Terdapat 68 68 subjek yang mengalami kenaikan fungsi Vka, dan 32 subjek 32 yang tidak. Median TAPSE sebelum lepas rawat meningkat secara signifikan enam bulan pasca operasi dari 1,1 0,6-1,5 menjadi 1,4 0,7-2,8 dengan nilai p .....  
*Background In patients undergoing mitral valve surgery, right ventricular function may decline immediately after the surgical procedure. This condition may sometimes remain, but may also improve later on. Many factors have been proposed to account for this phenomenon. As of yet, there are no studies using multivariate analysis to investigate factors that may be predictors of right ventricular function improvement after mitral surgery.*

**Objective** This study aims to identify factors that may be predictors of right ventricular function improvement in patients with right ventricular dysfunction following mitral valve surgery.

**Methods** This is a retrospective cohort study, taking place at National Cardiovascular Center Harapan Kita NCCHK , Jakarta, Indonesia. Subjects are patients who underwent mitral valve surgery between January 2016 until February 2017. Data taken include basic characteristics, surgical data, drugs prescribed after surgery, and echocardiography data before surgery, predischarge, and six months after surgery.

**Results** There are 100 subjects who fulfilled the criteria to participate in this study. There are 68 68 cases of right ventricular function improvement and 32 32 cases without improvement. The median of predischarge TAPSE increases significantly six months after surgery, from 1,1 0,6 1,5 to 1,4 0,7 2,8 with p value.