

Faktor-faktor yang mempengaruhi kesintasan hidup pasien kanker serviks di RSUD Raden Mattaher Jambi tahun 2011-2016 = Affecting survival rate factors of cervical cancer patients at a Raden Mattaher Hospital Jambi in 2011 - 2016

Dyah Kartika Sari, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20477510&lokasi=lokal>

Abstrak

ABSTRAK

Faktor-faktor yang Mempengaruhi Kesintasan Hidup Pasien Kanker Serviks di RSUD Raden Mattaher Jambi Tahun 2011-2016
Pembimbing : Dr.dr. Tri Yunis Miko Wahyono, MSc
Kanker serviks menduduki peringkat keempat kanker yang paling sering terjadi pada semua wanita dan peringkat kedua kanker yang paling sering ditemukan pada wanita usia 15-44 tahun di dunia, menyebabkan 265.672 kematian pada tahun 2012. Di dunia setiap 2 menit seorang perempuan meninggal akibat kanker serviks, sedangkan di Indonesia setiap 1 jam. Provinsi Jambi menurut Pusdatin 2015, estimasi jumlah kasus kanker serviks tahun 2013 adalah 1.792 dan semakin meningkat dari tahun-tahun sebelumnya. RSUD Raden Mattaher Jambi sebagai rumah sakit rujukan mengalami peningkatan jumlah pasien kanker serviks dengan total pasien baru 318 sejak 2011-2016. Tujuan dari penelitian ini adalah untuk mengetahui angka kesintasan hidup secara keseluruhan dan faktor-faktor yang mempengaruhi pada pasien di RSUD Raden Mattaher Jambi tahun 2011-2016. Jumlah sampel yang didapat adalah 180 penderita yang pernah dirawat di RSUD ini dari Januari 2011-Desember 2016. Desain yang digunakan dalam penelitian ini adalah kohort retrospektif dengan metode Kaplan meier. Kesintasan hidup pasien kanker serviks secara keseluruhan yaitu 23,2 dengan median survival 24 bulan. Faktor-faktor yang mempengaruhi yaitu umur, perkawinan, kadar haemoglobin saat pertama kali didiagnosa, komorbid, stadium dan terapi. dengan faktor yang paling dominan yaitu komorbid HR=4,711. Kata kunci: Kesintasan hidup, kanker serviks, event, sensor.

<hr>

ABSTRACT

Affecting Survival Rate Factors Of Cervical Cancer Patients At A Raden Mattaher Hospital Jambi In 2011-2016
Counsellor Dr.dr. Tri Yunis Miko Wahyono, MSc
Cervical cancer ranked fourth most common cancer in all women and ranked second most common cancer found in women aged 15-44 years in the world causing 265.672 deaths in 2012. Every 2 minutes a woman dies from cervical cancer in the world, while in Indonesia every 1 hour. In Jambi province according to Pusdatin 2015 estimated number of cases of cervical cancer in 2013 is 1792 and increasing from the year before. Raden Mattaher hospital in Jambi as a referral hospital has increasing number of cervical cancer patients with a total of 318 new patients since 2011-2016. The purpose of this study was to determine the overall survival rate and factors that affect the patients in Raden Mattaher Hospital Jambi in 2011-2016. The number of patients obtained is 180 patients who had been treated in this hospital from January 2011 to December 2016. The design used in this study was a retrospective cohort with the Kaplan meier method. Overall survival of cervical cancer patients was 23.2 percent with a median survival of 24 months. The factors that influence are age, marriage, hemoglobin when first diagnosed, comorbid, stage and therapy. With the most dominant factor is comorbid. HR 4.711. Key words Survival rate, cervical cancer, event, censor