

# Dialectical behavior therapy untuk menurunkan psychotic-like experience pada remaja anak buruh migran di Karawang = Dialectical behavior therapy to reduce psychotic-like experience among left-behind early adolescents in Karawang

Vitriyanti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20481265&lokasi=lokal>

---

## Abstrak

Latar Belakang: simtom psikotik tidak hanya ditemukan pada populasi klinis, tetapi juga pada populasi non-klinis. Simtom psikotik yang muncul pada remaja dapat berkembang menjadi berbagai macam gangguan mental di masa mendatang dan diketahui sebagai faktor risiko berbagai gangguan mental. Orang yang menunjukkan minimal satu simtom psikotik namun tidak memenuhi kriteria untuk ditegakkan diagnosa mengalami psikotik dikategorikan sebagai psychotic like experience (PLE). Penelitian sebelumnya menemukan prevalensi PLE pada remaja anak buruh migran sebesar 78.3%-81.9% sedangkan pada populasi umum sekitar 7-8%. Intervensi dini pada remaja yang menunjukkan simtom PLE dianggap menguntungkan untuk mencegah PLE berkembang menjadi gangguan mental. Dialectical Behavior Therapy (DBT) diketahui efektif membantu mengatasi kekambuhan pada skizofrenia yang memiliki simtom yang mirip dengan PLE sehingga DBT juga diprediksi efektif menurunkan simtom PLE.

Tujuan: menguji penerapan DBT untuk memurunkan simtom PLE pada remaja anak buruh migran di Karawang.

Metode: partisipan pada penelitian merupakan murid SMP di Karawang dengan rentang usia 14 sampai 16 tahun dan merupakan anak buruh migran. Desain penelitian ini adalah repeating treatments within subject. Intervensi terdiri dari satu sesi individu untuk wawancara awal dan 6 sesi kelompok untuk meningkatkan skill behavioral. Skill mindfulness merupakan skill utama yang diajarkan sepanjang latihan skill distress tolerance, regulasi emosi, dan relationship effectiveness. Pengukuran dilakukan dengan menggunakan alat skrining PLEs dan SGABS.

Hasil: Peserta menunjukkan penurunan skor pada alat skrining PLEs dan SGABS setelah dilakukan intervensi DBT. Hasil kualitatif menunjukkan peserta mendapatkan manfaat setelah mengikuti kegiatan intervensi. Peserta memiliki skill baru yang efektif dan bermanfaat untuk menghadapi masalahnya.

Kesimpulan: penerapan DBT membantu remaja anak buruh migran dalam mengatasi PLE.

.....Background: psychotic symptoms have been found in a wide range of population, not only among clinical population but also among non-clinical population. Psychotic symptoms on adolescents could lead to several serious mental illnesses in the future and is attributable as a risk factor to numerous forms of mental illnesses. People who shows minimum one psychotic symptom but do not meet criteria for clinical diagnosis are categorized as having psychotic like experience (PLE). Previous studies revealed that the prevalence of PLEs among left-behind early adolescents was around 78.3 % - 81.9 %, while the prevalence of PLEs among non-left behind children was around 7-8%. Early intervention program for adolescents exhibiting PLE symptoms will be beneficial prevent PLE develop into disorder. Dialectical Behavior Therapy (DBT) has been identified as an effective treatment to prevent relapse on schizophrenia which has similar symptoms with PLE. Hence, it is reasonable to expect that DBT would also be effective to reduce symptoms of PLEs.

**Objective:** examine the implementation of DBT in managing PLE.

**Methods:** the participants of this study were junior high school student age between 14 to 16 years old and having status as left-behind early adolescents. This study was a repeating treatments within subject. This intervention was contains of one individual session in initial interview and six group sessions of behavioral enhancement which was mindfulness as a core skill that also learn through skill for distress tolerance, skill for regulation emotion, and skill of relationship effectiveness. The PLEs screening tool and SGABS screening tool were administered to measure the outcomes.

**Results:** participants showed a decrease on PLEs score and SGABS score after undergoing the DBT intervention. Qualitative inquiries suggest that participants get benefit from participating in the intervention program. Participant gain a new skill that effective and useful to dealing with the problems.

**Conclusion:** the implementation DBT help left-behind early adolescents in managing PLE.