

Pola perubahan sudut gonial berdasarkan usia, jenis kelamin, status dental, dan morfologi kondil mandibula pada radiograf panoramik =
Pattern of changes in gonial angle based on age, gender, dental status, and mandibular condyle morphology on panoramic radiographs

Azizah Nur Hanifah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20482759&lokasi=lokal>

Abstrak

ABSTRACT

Latar belakang: Sudut gonial merupakan salah satu struktur anatomis pada mandibula yang mengalami perubahan paling signifikan pada proses pertumbuhan. Pengukuran sudut gonial banyak dijadikan parameter evaluasi tumbuh kembang yang bermanfaat bagi bidang ilmu kedokteran gigi termasuk ortodonsi dan prostodonsi. Tujuan: untuk mengetahui nilai rerata sudut gonial berdasarkan usia, jenis kelamin, status dental, dan morfologi kondil pada radiograf panoramik sehingga dapat digunakan sebagai nilai acuan dalam melihat pola perubahan sudut gonial mandibula. Metode: Pengukuran sudut gonial pada 210 sampel radiograf panoramik digital usia diatas 21 tahun, dengan mengkategorikan berdasarkan usia, jenis kelamin, status dental dan morfologi kondil mandibula. Hasil: Pengukuran sudut gonial terhadap usia, jenis kelamin, status dental, dan morfologi kondil mandibula tidak berbeda bermakna secara statistik, namun besar sudut gonial cenderung mengecil sesuai perubahan usia. Nilai rata-rata sudut gonial ditemukan cenderung lebih kecil pada laki-laki dan juga pada individu dengan status dental dentate. Kesimpulan: Nilai sudut gonial menunjukkan perubahan yang tidak berbeda bermakna berdasarkan usia, jenis kelamin, maupun morfologi kondil mandibula.

ABSTRACT

Background: The gonial angle is one of the anatomical structures in the mandible that experiences the most significant changes in the growth process. Gonial angle measurements are widely used as evaluation parameters of growth and development which are beneficial for the field of dentistry such as orthodontics and prosthodontics. Objective: to determine the average value of the gonial angle based on age, gender, dental status, and mandibular condyle morphology on panoramic radiograph so that it can be used as a reference value in seeing the pattern of changes in the gonial angle of mandible. Methods: Gonial angle measurements in 220 samples of digital panoramic radiographs over the age of 21 years, categorizing by age, gender, dental status, and mandibular condyle morphology. Results: Gonial angle measurements of age, gender, dental status, and mandibular condyle morphology did not differ statistically significant, but the size of the gonial angle tended to shrink according to age change. The average gonial angle values were found to tend to be smaller in men and also in individuals with dental status dentate. Conclusion: The gonial angle values show changes that are not significantly different based on age, gender, and mandibular condyle morphology.