

Perbandingan K-means dan spherical K-means untuk klasifikasi data hepatitis = Comparison of K-means and spherical K-means for classification of hepatitis data

Gabriella Kurniawan, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20485204&lokasi=lokal>

Abstrak

Hepatitis merupakan penyakit peradangan pada hati yang dapat disebabkan oleh virus hepatitis. Di antara lima jenis hepatitis, hepatitis B dan hepatitis C merupakan jenis hepatitis yang dapat berkembang menjadi kanker hati. Kanker hati merupakan jenis kanker nomor tujuh tertinggi di dunia dan nomor tiga yang menyebabkan kematian karena kanker. Seseorang yang memiliki gejala penyakit hepatitis dapat melakukan serangkaian uji laboratorium untuk melihat kondisi kesehatannya. Hasil laboratorium hepatitis dapat kita manfaatkan untuk membentuk suatu program yang dapat mengklasifikasi hepatitis B dan hepatitis C. K-Means Clustering merupakan salah satu metode clustering yang dapat dimanfaatkan untuk mengklasifikasi hepatitis B dan hepatitis C. K-Means Clustering cukup mudah untuk diimplementasikan dan waktu yang digunakan untuk mengolah data juga cukup sedikit sehingga, metode ini cukup baik untuk mengklasifikasi data hepatitis B dan hepatitis C. Sementara, Spherical K-Means merupakan metode lanjutan dari K-Means Clustering. Hasil klasifikasi dari dua buah metode akan digunakan untuk melihat akurasi dari kedua buah metode dan membandingkan kedua metode tersebut.

.....

Hepatitis is an inflammatory disease of the liver caused by hepatitis virus. Among the five types of hepatitis virus, hepatitis B and hepatitis C is the types of hepatitis that can develop into liver cancer. Liver cancer is number seventh in the world for the highest cancer case and number third of the highest death because of cancer. Someone who has symptoms of hepatitis can carry out a series of laboratory tests to see his health condition. This laboratory results can be used to form a program to classify hepatitis B and hepatitis C data. K-Means Clustering is a clustering method which can be used to classify hepatitis B and hepatitis C data. K-Means Clustering was rather easy to use and less time was needed to running the program of K-Means Clustering, with the result that, K-Means Clustering method was good enough to classify hepatitis B and hepatitis C data. While, Spherical K-Means is an advanced method of K-Means Clustering. Classification results from this two methods will be used to see the accuracy of the data and compare the two methods.