

Faktor-faktor yang berhubungan dengan tingkat depresi pada narapidana di Lembaga Pemasyarakatan Kelas II A Jakarta = Factors associated with depression among prisoners in Women's Class II A Prison Jakarta

Zhara Juliane, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20490406&lokasi=lokal>

Abstrak

Depresi adalah gangguan mental umum yang ditandai dengan kesedihan yang berlangsung lama, hilangnya minat pada aktivitas yang biasa dinikmati, dan disertai dengan ketidakmampuan untuk melakukan aktivitas sehari-hari, setidaknya selama dua minggu. Narapidana wanita merupakan kelompok yang beresiko terhadap depresi dimana kejadian depresi pada narapidana lebih rentan dialami oleh narapidana wanita dibandingkan laki-laki. Penelitian ini bertujuan untuk mengetahui faktor-faktor yang berhubungan dengan tingkat depresi pada narapidana di Lembaga Pemasyarakatan Perempuan Kelas II A Jakarta. Desain penelitian yang digunakan yaitu cross-sectional dengan analisis multivariat regresi logistik ganda. Penelitian ini melibatkan jumlah sampel sebesar 200 narapidana yang diambil menggunakan teknik random sampling. Hasil penelitian menunjukkan bahwa prevalensi kejadian depresi pada narapidana di Lembaga Pemasyarakatan Perempuan Kelas II A Jakarta sebesar 56,5%. Berdasarkan hasil analisis multivariat dapat diketahui faktor yang berhubungan signifikan dengan tingkat depresi adalah usia (p -value=0,012; POR=2,144; 95% CI=1,185 – 3,879) dan status residivis (p -value=0,043; POR=3,926; 95% CI=1,047 – 14,729) dimana faktor yang berpengaruh paling besar terhadap kejadian depresi adalah status residivis. Perlu adanya perhatian dari pemerintah terhadap kesehatan jiwa narapidana dengan melakukan berbagai program dan pelayanan kesehatan jiwa seperti skrining regular dan program rehabilitasi.

.....Depression is a common mental disorder, characterized by persistent sadness and a loss of interest in activities that you normally enjoy, accompanied by an inability to carry out daily activities, for at least two weeks. Female prisoners represent groups at risk of depression where depression in prisoners is more vulnerable to female prisoners than men. This study aims to determine the factors associated with depression among prisoners in Women's Class II A Prison Jakarta. The study design used was cross-sectional with multivariate analysis, multiple logistic regression. The number of research samples is 200 prisoners taken using random sampling techniques. The results showed that the prevalence of depression among prisoners in Women's Class II A Prison Jakarta is 56,5%. Based on the results of the multivariate analysis, it can be seen that factors related significantly to depression are age (p -value = 0.012; POR = 2.144; 95% CI = 1.185 - 3.879) and recidivism status (p -value = 0.043; POR = 3.926; 95% CI = 1,047 – 14,729) which the most influential factor on the incidence of depression is recidivism status. Government attention needs to be given to the mental health of prisoners by conducting various mental health programs and services such as regular screening and rehabilitation programs.